



City of Wagga Wagga

NOTICE OF DETERMINATION OF DEVELOPMENT APPLICATION DA19/0472 ENVIRONMENTAL PLANNING & ASSESSMENT ACT, 1979

Notice is hereby given of the determination by Council to the above Development Application pursuant to Section 4.18 of the Environmental Planning & Assessment Act, 1979.

Application Number:	DA19/0472
Applicant:	J Visser, LJ Wilmans 2/81 Atherton Cres TATTON NSW 2650
Land to be Developed:	60 Atherton Cres TATTON NSW 2650 Lot 707 DP 1099783
Description	Inground swimming pool
Determination:	Approved Subject to Conditions
Date of Determination:	09/10/2019
Consent to Operate from:	09/10/2019
Consent to Lapse on:	09/10/2024
Other Approvals:	Nil

On behalf of the Council

Sam Robins
Senior Town Planner

Review of Determination

Where Council is the consent authority, Section 8.2 of the Environmental Planning and Assessment Act 1979, provides that the applicant may request the Council to review the determination. A request for review cannot be made after the period within which any appeal may be made to the Court has expired if no appeal was made. There is no right to review a determination of a complying development certificate, designated development, or Crown Development.

Right of Appeal

Where an applicant is dissatisfied with this decision, Section 8.7 of the Environmental Planning and Assessment Act 1979 provides a right to appeal the decision to the Land and Environment Court within a period of 6 months from the date the decision is notified or registered on the NSW planning portal or after the date of deemed refusal under section 8.11.

CONDITIONS OF CONSENT FOR APPLICATION NO. DA19/0472

Approved Plans and Documentation

1. The development must be carried out in accordance with the approved plans and specifications as follows.

Plan/Doc No.	Plan/Doc Title	Prepared by	Issue	Date
-	Site Plan	Applicant	-	Lodged 09/09/19
16-10261-504	Structural Details	Freedom Pools	C	Lodged 09/09/19
-	Statement of Environmental Effects	Applicant	-	05/09/19

The Development Application has been determined by the granting of consent subject to and as amended by the conditions of development consent specified below.

NOTE: Any modifications to the proposal shall be the subject of an application under Section 4.55 of the Environmental Planning and Assessment Act, 1979.

REASON: It is in the public interest that work is carried out in accordance with the approved plans. Section 4.15(1)(e) of the *Environmental Planning and Assessment Act 1979*, as amended.

Prior to release of Construction Certificate

2. Prior to the issue of Construction Certificate the applicant must lodge a bond with Council of:-

\$1000.00 for security deposit on the kerb and gutter and footpath

NOTE 1: Applicants will be required to contact Council PRIOR to making the payment to arrange a bond (BKG) number. This must be done prior to making payment at Council's customer service desk.

NOTE 2: In lieu of payment, the applicant can with written authorisation from their builder, utilise an ongoing bond should their builder hold an ongoing bond.

- NOTE 3:** All monetary conditions are reviewed annually, and may change on 1 July each year.
- NOTE 4:** Works in the form of driveways, kerb and gutter and footpath may require you to obtain a Section 138 Roads Act 1993 approval. Please contact Councils Road Reserve Officer on 1300 292 442 prior to undertaking such works.
- NOTE 5:** Council will accept a once off security deposit for the kerb and gutter and footpath for applicants who lodge multiple DA's with council. If the applicant has security deposits held by Council for kerb and gutter and footpath at the time of Construction Certificate application, then Council may waive the need for an additional bond to be paid.
- NOTE 6:** The bond held on the kerb and gutter and footpath is fully refundable upon completion of all works and upon inspection by Council to ensure that any damage to Council infrastructure has been repaired. The bond will not be refunded in the event that damage done to Council's infrastructure is not repaired to the satisfaction of Council. All damage is to be repaired at the full cost of the applicant

REASON: It is in the public interest that such fees are paid in accordance with Council's Management Plan. Section 4.15(1)(e) of the Environmental Planning and Assessment Act 1979, as amended.

3. **Prior to the issue of a Construction Certificate, an application for a Build Over Permit is required to be lodged with and approved by Council for the works proposed over the existing sewer main/stormwater main located within the site.**

A copy of that Approval/Permit to Encumber a Service Line and or Easement shall be provided to Council's City Development section as evidence of the satisfaction of this condition.

NOTE: Contact Council's Waste and Stormwater Division on 1300 292 442 in relation to obtaining the required Approval/Permit to Encumber a Service Line and or Easement.

REASON: It is in the public interest that construction does not commence until such time as all required approvals have been obtained for the development. Section 4.15(1)(c) and (e) of the *Environmental Planning and Assessment Act 1979*, as amended.

Prior to Commencement of Works

4. **Prior to works commencing on site, toilet facilities must be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:**

- a) a standard flushing toilet connected to a public sewer, or
- b) if that is not practicable, an accredited sewage management facility approved by Council, or
- c) if that is not practicable, any other sewage management facility approved by Council.

NOTE 1: The provision of toilet facilities in accordance with this condition must be completed before any other work is commenced and the toilet facility must not be removed without the prior written approval of Council.

NOTE 2: “Vicinity” in this condition is defined to mean within 50 metres of the subject building site.

NOTE 3: The toilet facilities are to comply with all **WORK COVER NSW** requirements.

REASON: To provide adequate sanitary facilities during the construction phase. Section 4.15(1)(b) of the *Environmental Planning and Assessment Act 1979*, as amended.

5. **A CONSTRUCTION CERTIFICATE must be obtained pursuant to Section 6.7 of the *Environmental Planning and Assessment Act 1979*, as amended from either Council or an accredited certifying authority certifying that the proposed works are in accordance with the Building Code of Australia PRIOR to any works commencing.**

NOTE 1: No building, engineering, excavation work or food premises fitout must be carried out in relation to this development until the necessary Construction Certificate has been obtained.

NOTE 2: **YOU MUST NOT COMMENCE WORK UNTIL YOU HAVE RECEIVED THE CONSTRUCTION CERTIFICATE**, even if you made an application for a Construction Certificate at the same time as you lodged this Development Application.

NOTE 3: It is the responsibility of the applicant to ensure that the development complies with the provision of the Building Code of Australia in the case of building work and the applicable Council Engineering Standards in the case of subdivision works. This may entail alterations to the proposal so that it complies with these standards.

REASON: To ensure the design of the proposed work may be assessed in detail before construction commences and because it is in the public interest that the development complies with the appropriate construction standards. Section 4.15(1)(e) of the *Environmental Planning and Assessment Act 1979*, as amended.

6. **Prior to works commencing a container must be erected on site for the enclosure of all building rubbish and debris, including that which can be wind blown. The enclosure shall be approved by Council and be retained on site at all times prior to the disposal of rubbish at a licenced Waste Management Centre.**

Materials and sheds or machinery to be used in association with the construction of the building must not be stored or stacked on Council's footpath, nature strip, reserve or roadway.

NOTE 1: No building rubbish or debris must be placed, or be permitted to be placed on any adjoining public reserve, footway, road or private land.

NOTE 2: Weighbridge certificates, receipts or dockets that clearly identify where waste has been deposited must be retained. Documentation must include quantities and nature of the waste. This documentation must be provided to Council prior to application for an Occupation Certificate for the development.

NOTE 3: The suitable container for the storage of rubbish must be retained on site until an Occupation Certificate is issued for the development.

REASON: To ensure that the building site and adjoining public places are maintained in a clean and tidy condition so as not to interfere with the amenity of the area. Section 4.15(1)(b) and (e) of the *Environmental Planning and Assessment Act 1979*, as amended.

7. **Prior to the commencement of works erosion and sediment control measures are to be established and maintained to prevent silt and sediment escaping the site or producing erosion. This work must be carried out and maintained in accordance with Council's:-**

- a) Development Control Plan 2010 (Section 2.6 and Appendix 2)**
- b) Erosion and Sediment Control Guidelines for Building Sites; and**
- c) Soils and Construction Volume 1, Managing Urban Stormwater**

Prior to commencement of works, a plan illustrating these measures shall be submitted to, and approved by, Council.

NOTE: All erosion and sediment control measures must be in place prior to earthworks commencing.

REASON: To ensure the impact of the work on the environment in terms of soil erosion and sedimentation is minimised. Section 4.15(1)(b) of the *Environmental Planning and Assessment Act 1979*, as amended.

8. **Prior to works commencing on site:**

- i) Council must be notified of any damage to kerb and gutter and footpath fronting the site. The absence of such**

notification shall indicate that no damage exists and the applicant shall be responsible for the repair of any damage to kerb and gutter or footpath fronting the site.

- ii) Satisfactory protection for existing public infrastructure must be provided and maintained throughout the construction period.**

REASON: It is in the public interest that the development works do not damage existing Council infrastructure and accordingly a record of existing conditions is required. Section 4.15(e) of the *Environmental Planning and Assessment Act 1979*.

- 9. A Section 68 Approval must be obtained from Council prior to any sewer or stormwater work being carried out on the site.**

The licensed plumber must submit to Council, at least two (2) days prior to the commencement of any plumbing and drainage works on site a “Notice of Works”.

NOTE: A copy of the Notice of Works form can be found on Council’s website.

REASON: It is in the public interest that plumbing and drainage work is carried out with the relevant approvals required under the Local Government Act 1993 and the Plumbing Code of Australia. Section 4.15(1)(e) of the Environmental Planning and Assessment Act 1979, as amended.

- 10. Building work (within the meaning of the Home Building Act 1989) must not be carried out unless the Principal Certifying Authority for the development:**

- a) in the case of work done by a licensee under the Act:**
 - i) has been informed in writing of the licensee’s name and contractor license number, and**
 - ii) is satisfied that the licensee has complied with the requirements of Part 6 of that Act, OR**
- b) in the case of work to be done by any other person:**
 - i) has been informed in writing of the person’s name and owner-builder permit number, or**
 - ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in Section 29 of the Act,**

and, is given appropriate information and declarations under paragraphs a) and b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either a) or b).

NOTE: A certificate issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that the person is the holder of an insurance policy is sufficient evidence to satisfy this condition.

REASON: To ensure the development complies with the requirements of Clause 98 of the Environmental Planning and Assessment Regulations 2000, and Section 4.17(11) of the *Environmental Planning and Assessment Act 1979*, as amended.

11. **Prior to works commencing, a sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:**
- a) stating that unauthorised entry to the site is prohibited, and
 - b) showing the name of the person in charge of the work site and a telephone number at which that person may be contacted outside work hours
 - c) the development consent or complying development consent number, the name and contact details of the Principal Certifying Authority.

Any sign must be removed when the work has been completed.

NOTE: This condition does not apply to:

- a) building work carried out inside an existing building, or
- b) building work carried out on premises that must be occupied continuously (both during and outside work hours) while the work is being carried out.

REASON: To ensure the development complies with the requirements imposed under Clause 98 of the Environmental Planning and Assessment Regulations 2000, as amended, and Section 4.17(11) of the *Environmental Planning and Assessment Act 1979*, as amended.

12. **At least two (2) days prior to the commencement of any works, the attached 'Notice of Commencement of Building or Subdivision Works and Appointment of Principal Certifying Authority', must be submitted to Council.**

REASON: Because it is in the public interest that Council receive notification in accordance with the provision of the *Environmental Planning and Assessment Act 1979*, as amended. Section 4.15(1)(e) of the *Environmental Planning and Assessment Act 1979*, as amended.

During works

13. **The Builder must at all times maintain, on the job, a legible copy of the plans and specifications approved with the Construction Certificate.**

REASON: It is in the public interest that a copy of the Construction Certificate plans are available, and Section 4.15(1)(e) of the *Environmental Planning and Assessment Act 1979*, as amended.

14. **All excavation and backfilling associated with the erection/demolition of the building must be properly guarded and protected to prevent them from being dangerous to life or property.**

Excavations must be undertaken in accordance with the terms and conditions of Section 9.4.6 of the Wagga Wagga Development Control Plan 2010.

REASON: It is in the public interest that all building elements are able to withstand the combination of loads and other actions to which it may be subjected. Section 4.15(1)(b) and (e) of the *Environmental Planning and Assessment Act 1979*, as amended.

15. **The permitted construction hours are Monday to Friday 7.00am to 6.00pm and Saturday 7.00am to 5.00pm, excepting public holidays. All reasonable steps must be taken to minimise dust generation during the demolition and/or construction process. Demolition and construction noise is to be managed in accordance with the Office of Environment and Heritage Guidelines.**

REASON: To ensure building works do not have adverse effects on the amenity of the area. Section 4.15(1)(b) of the *Environmental Planning and Assessment Act 1979*, as amended.

16. **If Council is appointed as the Principal Certifying Authority the applicant must obtain a Compliance Certificate, pursuant to Section 109C of the *Environmental Planning and Assessment Act 1979*, as amended, from Council or an accredited certifying authority, certifying compliance with the Building Code of Australia and the Swimming Pool Act 1992, for the stages of construction listed in Column 1. For the purposes of obtaining the Compliance Certificate the works must be inspected by the accredited certifying authority at the times specified in Column 2.**

	COLUMN 1	COLUMN 2
A	Footings/ Coping	When the pool is in position and all reinforcement has been placed in position.
B	Fencing	When the pool and all fencing, gates and locks have been completed and prior to water being placed in the pool.

NOTE 1: A final Occupation Certificate in relation to the work cannot be issued by Council or an accredited certifying authority until all Compliance Certificates required by this condition have been issued or registered with Council.

NOTE 2: The above Compliance Certificates are required whether or not the work has been inspected by a Structural Engineer, a lending authority or any other person. If the Compliance Certificates are not issued Council may refuse to issue a Building Certificate under Section 149A and D of the *Environmental Planning and Assessment Act 1979*, as amended.

REASON: It is in the public interest that Compliance Certificates be issued for these components of the development. Section 4.15 (1)(e) of the *Environmental Planning and Assessment Act 1979*, as amended.

17. **All work is to comply with the Building Code of Australia, the Swimming Pools Act 1992 and Swimming Pools Regulations 2008. In this regard the following minimum requirements will apply:**

- a) a minimum 1.2 metre high child resistant barrier is to be provided to enclose the swimming pool,
- b) gate/s leading into the pool area is to be fitted with an outward opening, self closing and latching gate,
- c) pool latches are to be located 1.5 metres high above the ground level,
- d) a resuscitation poster is to be affixed within the pool area.

NOTE: Prior to the issue of an occupation certificate, the owner of the property shall supply Council with documentary evidence that the completed swimming pool has been registered at www.swimmingpoolregister.nsw.gov.au as required by the amended Swimming Pool Act.

REASON: It is in the public interest that the provisions of the Building Code of Australia and the Swimming Pool Act 1992 be complied with. Section 4.15 (1)(e) of the *Environmental Planning and Assessment Act 1979*, as amended.

18. **In sewerred areas, the swimming pool backwash pipe must be connected to the house sewer drainage system in accordance with Clause 10.9 and Figure 10.2 of AS/NZS 3500.2.2003 Sanitary Plumbing and Sanitary Drainage. This connection can be via a suitable existing gully or, alternatively, a gully can be cut into the house drainage line for this purpose.**

If alterations to the existing house drainage lines are required, a Compliance Certificate must be obtained pursuant to Section 109C of the *Environmental Planning and Assessment Act 1979* from Council or an accredited certifying authority at the stages of construction listed in

Column 1 certifying compliance with AS/NZS 3500.2003. For the purpose of obtaining the Compliance Certificate the works must be inspected by Council or an accredited certifying authority at the times specified in Column 2.

	COLUMN 1	COLUMN 2
A	External Drainage Alterations	When all external plumbing work is installed and prior to concealment.
B	Final	At the completion of the installation of the pool.

REASON: To ensure that backwash water is discharged into Council Sewerage system in accordance with AS/NZS 3500.2003 and because it is in the public interest to do so. Section 4.15 (1)(b) and (e) of the *Environmental Planning and Assessment Act 1979*, as amended.

19. **A 1.8 metre high boundary fence (as measured from the inside of the fence) is required where the property boundary fence is used as a part of the swimming pool barrier. This is to have a 900 mm non climbable zone on the inside face of the fence to comply with AS1926.2012 Swimming Pool Safety Standards.**

REASON: It is in the public interest that the provisions of the Building Code of Australia and the Swimming Pool Act 1992 be complied with. Section 4.15(1)(e) of the *Environmental Planning and Assessment Act 1979*, as amended.

Prior to release of Occupation Certificate / Prior to Operation

20. **The applicant must obtain an Occupation Certificate, pursuant to Section 6.9 of the *Environmental Planning and Assessment Act 1979*, from either Council or an accredited certifying authority, prior to occupation of the building.**

NOTE: The issuing of an Occupation Certificate does not necessarily indicate that all conditions of development consent have been complied with. The applicant is responsible for ensuring that all conditions of development consent are complied with.

REASON: It is in the public interest that an Occupation Certificate be issued prior to occupation of the building. Section 4.15(1)(e) of the *Environmental Planning and Assessment Act 1979*, as amended.

General

21. (1) For the purposes of Section 4.17 (11) of the *Environmental Planning and Assessment Act 1979*, it is a prescribed condition of the development consent that if the development involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must, at the person's own expense:

- (a) protect and support the adjoining premises from possible damage from the excavation, and
- (b) where necessary, underpin the adjoining premises to prevent any such damage.

- (2) The condition referred to in subclause (1) does not apply if the person having the benefit of the development consent owns the adjoining land or the owner of the adjoining land has given consent in writing to that condition not applying.

REASON: To ensure the development complies with the requirements imposed under Clause 98E of the Environmental Planning and Assessment Regulations 2000, as amended, and Section 4.17 (11) of the *Environmental Planning and Assessment Act 1979*, as amended.

22. All backwash water or water discharged from the pool during emptying must be discharged into Council's sewer in accordance with the requirements of AS/NZS 3500 and the Plumbing Code of Australia. Under no circumstances must water be discharged to the street.

NOTE: Discharge from Pools in unsewered areas will be in a method approved by Council.

REASON: To ensure that all swimming pool backwash and water discharged is dealt with in an appropriate fashion. Section 4.15 (1)(b) of the *Environmental Planning and Assessment Act 1979*, as amended.

23. The proposed filter and pump must be operated in accordance with the Protection of the Environment Operations (Noise Control) Regulation 2008 which restricts the times of operation. Restrictions apply between 8.00 pm and 7.00 am on weekdays and Saturdays and 8.00 pm to 8.00 am on Sundays and public holidays.

NOTE 1: The swimming pool water, together with the treatment processes and facilities must comply with the requirements of the Public Health Act 2010 and Public Health Regulation 2012.

In this regards -

- pH needs to be between 7.2 and 7.8
- Alkalinity needs to be between 80mg/L and 200mg/L
- Free chlorine needs to be between 3mg/L and 10mg/L

- Combined chlorine needs to be less than 1mg/L
- Cyanuric acid (if used) must be between 30mg/L and 100mg/L

NOTE 2: For all pools in “septic areas”, the applicant must ensure that water discharged from the pool does not enter the septic tank or adversely impact on the septic disposal area or enter a drainage line.

REASON: To ensure the development does not reduce the amenity of the area. Section 4.15(1)(b) of the *Environmental Planning and Assessment Act 1979*, as amended.