



City of
Wagga Wagga

Notice of Determination of Development Application

Environmental Planning and Assessment Act 1979

Notice is hereby given of the determination by Council to the above Development Application pursuant to Section 4.18(1) of the Environmental Planning & Assessment Act, 1979.

Application Number:	DA20/0080
Applicant:	Amelia Parkins NSW Public Works - Wagga 2 Coleman St TURVEY PARK NSW 2650
Land to be Developed:	1 Simmons St WAGGA WAGGA NSW 2650 Lot 1 DP 775220
Description	Change of Use to Educational Establishment (Riverina Conservatorium of Music) with internal and external alterations and signage.
Determination:	Approved Subject to Conditions
Date of Determination:	12 October 2020
Consent to Operate from:	13/10/2020
Consent to Lapse on:	13/10/2025
Other Approvals:	Nil

On behalf of the Council

Amanda Gray
Senior Town Planner

Right of Appeal - Where an applicant is dissatisfied with this determination, the applicant has the right to appeal the decision to the Land and Environment Court within a period of 6 months from the date the decision is notified or registered on the NSW planning portal

CONDITIONS OF CONSENT FOR APPLICATION NO. DA20/0080

A. SCHEDULE A – Reasons for Conditions

The conditions of this consent have been imposed for the following reasons:

- A.1 To ensure compliance with the terms of the Environmental Planning and Assessment Act 1979 and Regulation 2000.
- A.2 Having regard to Council's duties of consideration under Section 4.15 and 4.17 of the Act.
- A.3 To ensure an appropriate level of provision of amenities and services occurs within the City and to occupants of sites.
- A.4 To improve the amenity, safety and environmental quality of the locality.
- A.5 Having regard to environmental quality, the circumstances of the case and the public interest.
- A.6 Having regard to the Wagga Wagga Development Control Plan 2010.
- A.7 To help retain and enhance streetscape quality.
- A.8 Ensure compatibility with adjoining and neighbouring land uses and built form.
- A.9 To protect public interest, the environment and existing amenity of the locality.
- A.10 To minimise health risk to neighbouring residents and workers.

B. SCHEDULE B – Deferred Commencement Conditions

N/A

C. SCHEDULE C – Conditions

Approved Plans and Documentation

- C.1 The development must be carried out in accordance with the approved plans and specifications as follows.

Plan/Doc.No.	Plan/Doc Title	Prepared by	Issue	Date
DA03	Site Plan	Stanton Dahl Architects	08	11.6.2020
DA05	Development Statistics Proposed	Stanton Dahl Architects	04	8.4.2020
DA08	Level 1 Demolition Plan (ground)	Stanton Dahl Architects	04	8.4.2020
DA09	Level 2 Demolition Plan	Stanton Dahl Architects	04	8.4.2020
DA10	Level 1 Floor Plan (Ground)	Stanton Dahl Architects	04	8.4.2020
DA11	Level 2 Floor Plan	Stanton Dahl Architects	05	7.9.2020
DA12	Lower Roof/Plant Room	Stanton Dahl Architects	05	7.9.2020
DA13	Upper Roof Plan	Stanton Dahl Architects	05	7.9.2020

DA15	Elevations 1	Stanton Dahl Architects	05	7.9.2020
DA16	Elevations 2	Stanton Dahl Architects	05	7.9.2020
DA17	Sections	Stanton Dahl Architects	04	8.4.2020
DA18	Shadow Diagram 1	Stanton Dahl Architects	04	8.4.2020
DA19	Shadow Diagram 2	Stanton Dahl Architects	04	8.4.2020
DA21	Materials & Finishes	Stanton Dahl Architects	05	7.9.2020
DA22	Signage	Stanton Dahl Architects	04	7.9.2020
	Architectural Design Statement	Stanton Dahl Architects		8.4.2020
	Statement of Environmental Effects	Salvestro Planning	2.2	April 2020
190430.02FA	Traffic Impact Assessment	McLaren Traffic Engineering	A	6.3.2020
190430.03FA	Proposed Change of Parking Restrictions	McLaren Traffic Engineering		4.2.2020
190430.04FB	Supplementary Traffic and Parking Advice	McLaren Traffic Engineering		21.4.2020
180338	Noise Impact Assessment	JHA	B	13.2.2020
	Preliminary Site Investigation	Ground Doctor Pty Ltd.		1.10.2020

The Development Application has been determined by the granting of consent subject to and as amended by the conditions of development consent specified below.

NOTE: Any modifications to the proposal shall be the subject of an application under Section 4.55 of the Environmental Planning and Assessment Act, 1979.

Requirements before the commencement of any works

C.2 If the work involved in the erection or demolition of a building or structure:

- a) is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient, or
- b) building involves the enclosure of a public place,

a hoarding or fence must be erected between the development site/works and the public place prior to works commencing on site.

All construction materials, waste, waste skips, machinery and contractors vehicles must be located and stored or parked within the site. No storage of materials, parking of construction machinery or contractor's vehicles will be permitted within the public space.

If necessary, an awning must be erected, sufficient to prevent any substance, from or in connection with the work, falling into the public place. Further the work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place.

NOTE 1: Any such hoarding, fence or awning must be removed when the work has been completed.

NOTE 2: Any external lighting required by this condition must be designed and positioned so that, at no time, will any light be cast upon any adjoining property.

NOTE 3: Prior to any hoarding being erected, the applicant must ensure that an application for a Hoarding Permit is submitted to and approved by Council.

C.3 Prior to works commencing on site, toilet facilities must be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:

- a) a standard flushing toilet connected to a public sewer, or
- b) if that is not practicable, an accredited sewage management facility approved by Council, or
- c) if that is not practicable, any other sewage management facility approved by Council.

NOTE 1: The provision of toilet facilities in accordance with this condition must be completed before any other work is commenced and the toilet facility must not be removed without the prior written approval of Council.

NOTE 2: "Vicinity" in this condition is defined to mean within 50 metres of the subject building site.

NOTE 3: The toilet facilities are to comply with all WORK COVER NSW requirements.

C.4 Prior to works commencing a container must be erected on site for the enclosure of all building rubbish and debris, including that which can be wind blown. The enclosure shall be approved by Council and be retained on site at all times prior to the disposal of rubbish at a licenced Waste Management Centre.

Materials and sheds or machinery to be used in association with the construction of the building must not be stored or stacked on Council's footpath, nature strip, reserve or roadway.

NOTE 1: No building rubbish or debris must be placed, or be permitted to be placed on any adjoining public reserve, footway, road or private land.

NOTE 2: Weighbridge certificates, receipts or dockets that clearly identify where waste has been deposited must be retained. Documentation must include quantities and nature of the waste. This documentation must be provided to Council prior to application for an Occupation Certificate for the development.

NOTE 3: The suitable container for the storage of rubbish must be retained on site until an Occupation Certificate is issued for the development.

C.5 Prior to the commencement of works erosion and sediment control measures are to be established and maintained to prevent silt and sediment escaping the site or producing erosion. This work must be carried out and maintained in accordance with Council's:-

- a) Development Control Plan 2010 (Section 2.6 and Appendix 2)
- b) Erosion and Sediment Control Guidelines for Building Sites; and
- c) Soils and Construction Volume 1, Managing Urban Stormwater

Prior to commencement of works, a plan illustrating these measures shall be submitted to, and approved by, Council.

NOTE: All erosion and sediment control measures must be in place prior to earthworks commencing.

C.6 Pursuant to s7.12 of the Environmental Planning and Assessment Act 1979 and the Wagga Wagga Local Infrastructure Contributions Plan 2019-2034, a monetary contribution of \$72,099.77 must be paid to Council, prior to works commencing unless, before the time due for payment, the applicant and the Council enter into a legally binding agreement for the applicant to provide works-in-kind or any other material public benefit(s) to the Council in part or full satisfaction of the monetary contribution.

The monetary contribution payable under this condition will be indexed in accordance with Clause 3.2 of the Wagga Wagga Local Infrastructure Contributions Plan 2019-2034 from the endorsed date of this Development Consent until the date of payment.

NOTE 1: Clause 3.2 of the Wagga Wagga Local Infrastructure Contributions Plan 2019-2034 provides for Section 7.12 contributions to be indexed in accordance with annual movements in the March quarter Consumer Price Index (CPI) (All Groups Index) for Sydney as published by the Australian Bureau of Statistics.

NOTE 2: The monetary contribution identified above remains applicable if paid within the same financial year as the date of determination. If payment is to be made outside this period, you are advised to contact Council prior to payment being made to determine if CPI increases/decreases have occurred since the date of this consent. The CPI rate is 117.4.

NOTE 3: A copy of the Wagga Wagga Local Infrastructure Contributions Plan

2019-2034, is available for inspection at Council Chambers, corner Baylis and Morrow Streets, Wagga Wagga, or on Council's website.

C.7 Prior to works commencing the applicant must lodge a bond with Council of:-

\$2000 for security deposit on the kerb and gutter and footpath

Plus a non-refundable administration fee as per Council's fees and charges.

NOTE 1: Applicants will be required to contact Council PRIOR to making the payment to arrange a bond (BKG) number. This must be done prior to making payment at Council's customer service desk.

NOTE 2: In lieu of payment, the applicant can with written authorisation from their builder, utilise an ongoing bond should their builder hold an ongoing bond.

NOTE 3: All monetary conditions are reviewed annually, and may change on 1 July each year.

NOTE 4: Works in the form of driveways, kerb and gutter and footpath may require you to obtain a Section 138 Roads Act 1993 approval. Please contact Council's Road Reserve Officer on 1300 292 442 prior to undertaking such works.

NOTE 5: Council will accept a once off security deposit for the kerb and gutter and footpath for applicants who lodge multiple DA's with council.

NOTE 6: The bond held on the kerb and gutter and footpath is fully refundable upon completion of all works and upon inspection by Council to ensure that any damage to Council infrastructure has been repaired. The bond will not be refunded in the event that damage done to Council's infrastructure is not repaired to the satisfaction of Council. All damage is to be repaired at the full cost of the applicant.

C.8 Prior to works commencing a compliance certificate under s306 of the Water Management Act 2000 must be obtained in respect of the development relating to water management works that may be required in connection with the development.

NOTE 1: 'Water management work' is defined in s283 of the Water Management Act to mean a 'water supply work', 'drainage work', 'sewage work' or 'flood work'. These terms are defined in that Act.

NOTE 2: Riverina Water is responsible for issuing compliance certificates and imposing requirements relating to water supply works for development in the Council's area. An application for a compliance certificate must be made with Riverina Water. Additional fees and charges may be incurred by the proposed development - please contact Riverina Water to ascertain compliance certificate water supply related requirements. A copy of such a compliance certificate is required prior to release of Construction Certificate.

NOTE 3: The Council is responsible for issuing compliance certificates and imposing requirements relating to sewerage, drainage and flood works for development in its area.

NOTE 4: Under s306 of the Water Management Act 2000, Riverina Water or the Council, as the case requires, may, as a precondition to the issuing of

a compliance certificate, impose a requirement that a payment is made or works are carried out, or both, towards the provision of water supply, sewerage, drainage or flood works.

NOTE 5: The Section 64 Sewer base figure is nil.

NOTE 6: The Section 64 Stormwater base figure is nil.

NOTE 7: Section 64 contributions shall be indexed in accordance with CPI annually at the commencement of the financial year.

NOTE 8: The figures outlined in this consent are based on the current rate of CPI. Please be advised that CPI changes on a regular basis and you are advised to contact Council prior to payments being made, to ensure no further CPI increases/decreases have occurred since the date of this consent.

- C.9 Prior to works commencing an amended plan shall be submitted to and approved by the General Manager or delegate, that identifies a revised treatment to the Simmons Street road frontage. The plan shall identify a restricted drop-off zone for two vehicles between 2.30pm and 7.30pm with the remainder as unrestricted parking.

The plan is required to be referred to and approved by the Local Traffic Committee prior to its final approval as these works incorporate a prescribed traffic control device.

NOTE 1: A prescribed traffic control device is a sign, signal, marking, structure or other device to direct or warn traffic on a road or road related area.

- C.10 Prior to works commencing on site:

- i) Council must be notified of any damage to kerb and gutter and footpath fronting the site. The absence of such notification shall indicate that no damage exists and the applicant shall be responsible for the repair of any damage to kerb and gutter or footpath fronting the site.
- ii) Satisfactory protection for existing public infrastructure must be provided and maintained throughout the construction period.

- C.11 A Section 68 Approval must be obtained from Council prior to any sewer or stormwater work being carried out on the site.

The licensed plumber must submit to Council, at least two (2) days prior to the commencement of any plumbing and drainage works on site a "Notice of Works".

NOTE: A copy of the Notice of Works form can be found on Council's website.

- C11A Prior to works commencing and in accordance with the recommendations of the Preliminary Site Investigation (prepared by Ground Doctor Pty Ltd and dated 1 October 2010) a management plan must be prepared to the satisfaction of the General Manager or delegate. The Plan, as a minimum, must outline procedures for addressing unsightly fill material during construction of the proposed development and during any future maintenance works to mitigate aesthetic and human health risks associated with disturbance of fill in the subsurface.

Requirements during construction or site works

- C.12 The Builder must at all times maintain, on the job, a legible copy of the plans and specifications approved with the Development Application.
- C.13 All excavation and backfilling associated with the erection/demolition of the building must be properly guarded and protected to prevent them from being dangerous to life or property.
- C.14 The demolition must be carried out in accordance with the provisions of Australian Standard AS2601-2001: The Demolition of Structures.

Within fourteen (14) days of completion of demolition, the following information shall be submitted to Council for assessment and approval:

- a) an asbestos clearance certificate prepared by a competent person; and
- b) a signed statement verifying that demolition work and the recycling of materials was undertaken in accordance with any Waste Management Plan approved with this consent. In reviewing such documentation Council will require the provision of actual weighbridge receipts for the recycling/disposal of all materials.

NOTE 1: Developers are reminded that WorkCover requires that all plant and equipment used in demolition work must comply with the relevant Australian Standards and manufacturer specifications.

NOTE 2: Demolition works involving the removal and disposal of asbestos cement must only be undertaken by contractors who hold a current WorkCover "Demolition Licence" and a current WorkCover "Class 2 (Restricted) Asbestos Licence".

NOTE 3: Competent Person (as defined under Safe Removal of asbestos 2nd Edition [NOHSC: 2002 (2005)]) means a person possessing adequate qualifications, such as suitable training and sufficient knowledge, experience and skill, for the safe performance of the specific work.

NOTE 4: A licence may be required for some of the tasks described in the document entitled Safe Removal of Asbestos 2nd Edition as requiring a competent person.

- C.15 The permitted construction hours are Monday to Friday 7.00am to 6.00pm and Saturday 7.00am to 5.00pm, excepting public holidays. All reasonable steps must be taken to minimise dust generation during the demolition and/or construction process. Demolition and construction noise is to be managed in accordance with the Office of Environment and Heritage Guidelines.
- C.16 Recommendations contained in the Noise Impact Assessment prepared by JHA and dated 13 February 2020 shall be incorporated into the final detailed design phase and implemented in full during construction works. This must include the continued acoustic assessment of all mechanical plant during the detailed design phase of the project in order to confirm any noise control measures to achieve the relevant noise criteria at the nearest noise sensitive receivers.

- C.17 The developer is to maintain all adjoining public roads to the site in a clean and tidy state, free of excavated "spoil" material.
- C.18 A Compliance Certificate for the plumbing and drainage work identified in Column 1 at the times specified in Column 2 must be obtained from Council.

COLUMN 1	COLUMN 2
Internal Sewer Drainage	When all internal plumbing and drainage work is installed and prior to concealment.
External Sewer Drainage	When all external plumbing and drainage work is installed and prior to concealment.
Stormwater Drainage	When all external stormwater drainage work is installed and prior to concealment.
Stack Work	When all work is installed and prior to concealment.
Final	Prior to occupation of the building or structure.

Requirements prior to issue of an Occupation Certificate or prior to operation

- C.19 Prior to the occupation of the premises a Flood Evacuation Plan for the development shall be submitted to the satisfaction of Council.
- C.20 A final inspection must be carried out upon completion of plumbing and drainage work and prior to occupation of the development, prior to the issuing of a final plumbing certificate Council must be in possession of Notice of Works, Certificate of Compliance and Works as Executed Diagrams for the works. The works as Executed Diagram must be submitted in electronic format in either AutoCAD or PDF file in accordance with Council requirements.

All plumbing and drainage work must be carried out by a licensed plumber and drainer and to the requirements of the Plumbing and Drainage Act 2011.

NOTE: Additional fees for inspections at the Plumbing Interim Occupancy / Plumbing Occupation stage may apply. This will depend on the number of inspections completed at this stage of the work/s.

- C.21 Prior to occupation of the building a Water Plumbing Certificate from Riverina Water County Council shall be submitted to Council.

NOTE 1: The applicant is to obtain a Plumbing Permit from Riverina Water County Council before any water supply/plumbing works commence and a Compliance Certificate upon completion of the works. Contact Riverina Water County Council's Plumbing Inspector on 6922 0618. Please be prepared to quote your Development Application number.

- C21A An operational management plan shall be prepared to the satisfaction of the General Manager or delegate prior to the use commencing. The plan must include, as a minimum,
- (i) Implementation and management of noise mitigation measures
 - (ii) Management of servicing and delivery vehicles
 - (iii) Management of on-site staff and visitor parking.

General requirements

- C.22 The approved use must only be conducted between the hours of 7.00 am and 10.00 pm on any day of the week.

Rooftop mounted mechanical plant is only to be operational between 7 am and 10 pm on any day of the week.

- C.23 Car parking bays fronting the pedestrian footpath in the car-park are to be provided with wheel stops.

- C.24 Illumination of the car park must be in accordance with AS 1158.3.1.2005, as amended, lighting for roads and public spaces.

D. SCHEDULE D – Activity Approval Conditions (Section 68)

N/A

E. SCHEDULE E – Prescribed Conditions

Conditions under this schedule are prescribed conditions for the purposes of section 4.17 (11) of the Environmental Planning and assessment Act 1979.

- E.1 Fulfilment of BASIX commitments (clause 97A EP&A Reg 2000)

The commitments listed in any relevant BASIX Certificate for this development must be fulfilled in accordance with the BASIX Certificate Report, Development Consent and the approved plans and specifications.

- E.2 Compliance with Building Code of Australia and insurance requirements under the Home Building Act 1989 (clause 98 EP&A Reg 2000)

- (1) For development that involves any building work, the work must be carried out in accordance with the requirements of the Building Code of Australia.
- (2) In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance shall be in force before any building work authorised to be carried out by the consent commences.
- (3) For a temporary structure that is used as an entertainment venue, the temporary structure must comply with Part B1 and NSW Part H102 of Volume One of the Building Code of Australia.

NOTE 1: This condition does not apply:

- (a) to the extent to which an exemption is in force under clause 187 or 188 of the Environmental Planning and Assessment Regulation 2000 (the Regulation), subject to the terms of any condition or requirement referred to in clause 187(6) or 188(4) of the Regulation, or
- (b) to the erection of a temporary building, other than a temporary structure to which part (3) of this condition applies.

NOTE 2: In this condition, a reference to the Building Code of Australia is a reference to that Code as in force on the date the application is made for the relevant:

- (a) development consent, in the case of a temporary structure that is an entertainment venue, or
- (b) construction certificate, in every other case.

NOTE 3: There are no relevant provisions in the Building Code of Australia in respect of temporary structures that are not entertainment venues.

E.3 Erection of signs (clause 98A EP&A Reg 2000)

For development that involves any building work, subdivision work or demolition work, a sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:

- (a) showing the name, address and telephone number of the principal certifying authority for the work, and
- (b) showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and
- (c) stating that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

NOTE 1: This condition does not apply in relation to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

NOTE 2: This condition does not apply in relation to Crown building work that is certified, in accordance with section 6.28 of the Environmental Planning and Assessment Act 1979, to comply with the technical provisions of the State's building laws.

NOTE 3: Principal certifying authorities and principal contractors must also ensure that signs required by this clause are erected and maintained.

E.4 Notification of Home Building Act 1989 requirements (clause 98B EP&A Reg 2000)

Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the principal certifying authority for the development to which the work relates (not being the council) has given the council written notice of the following information:

- (a) in the case of work for which a principal contractor is required to be appointed:
 - i) the name and licence number of the principal contractor, and

- ii) the name of the insurer by which the work is insured under Part 6 of that Act,
- (b) in the case of work to be done by an owner-builder:
 - i) the name of the owner-builder, and
 - ii) if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under this condition becomes out of date, further work must not be carried out unless the principal certifying authority for the development to which the work relates (not being the council) has given the council written notice of the updated information.

NOTE: This condition does not apply in relation to Crown building work that is certified, in accordance with section 6.28 of the Environmental Planning and Assessment Act 1979, to comply with the technical provisions of the State's building laws.

E.5 Entertainment venues (clause 98C EP&A Reg 2000)

If the development involves the use of a building as an entertainment venue, the development shall comply with the requirements set out in Schedule 3A of the Environmental Planning and Assessment regulation 2000.

E.6 Maximum capacity signage (clause 98D EP&A Reg 2000)

For the following uses of a building: a sign must be displayed in a prominent position in the building stating the maximum number of persons permitted in the building if the development consent for the use contains a condition specifying the maximum number of persons permitted in the building:

- (a) entertainment venue,
- (b) function centre,
- (c) pub,
- (d) registered club,
- (e) restaurant.

NOTE: Words and expressions used in this condition have the same meanings as they have in the Standard Instrument.

E.7 Shoring and adequacy of adjoining property (clause 98E EP&A Reg 2000)

If the development involves an excavation that extends below the level of the base of the footings of a building, structure or work (including any structure or work within a road or rail corridor) on adjoining land, the person having the benefit of the development consent must, at the person's own expense:

- (a) protect and support the building, structure or work from possible damage from the excavation, and

- (b) where necessary, underpin the building, structure or work to prevent any such damage.

NOTE: This condition does not apply if the person having the benefit of the development consent owns the adjoining land or the owner of the adjoining land has given consent in writing to that condition not applying.

F. SCHEDULE F – General Terms of Approval (Integrated Development)

N/A