

# Notice of Determination of Development Application

Environmental Planning and Assessment Act 1979

Notice is hereby given of the determination by Council to the following Development Application pursuant to Section 4.18(1) of the Environmental Planning & Assessment Act, 1979.

**Application Number:** DA21/0833

**Applicant:** DL Van Der Rijt

86 Johnston St

WAGGA WAGGA NSW 2650

Land to be Developed: 86 Johnston St WAGGA WAGGA NSW 2650

Lot 1 DP 718354

**Description** Alterations and additions to existing dwelling, gym and

attached pump house, pool and 15,000 litre underground

tank.

**Determination:** Approved subject to Conditions

Date of Determination:21/03/2022Consent to Operate from:21/03/2022Consent to Lapse on:21/03/2027

Other Approvals: Nil

On behalf of the Council

Emma Molloy Town Planner

Emolloy

Right of Appeal - Where an applicant is dissatisfied with this determination, the applicant has the right to appeal the decision to the Land and Environment Court within a period of 12 months from the date the decision is notified or registered on the NSW planning portal

Review of Determination - The applicant may request the Council to review the determination. A determination cannot be reviewed after the period within which an appeal may be made to the Land and Environment Court has expired or, if an appeal has been made against the determination, after the Court has disposed of that appeal.

DA21/0833 - Assessing Officer: Emma Molloy

1 of 13



#### **CONDITIONS OF CONSENT FOR APPLICATION NO. DA21/0833**

#### A. SCHEDULE A – Reasons for Conditions

The conditions of this consent have been imposed for the following reasons:

- A.1 To ensure compliance with the terms of the Environmental Planning and Assessment Act 1979 and Regulation 2000.
- A.2 Having regard to Council's duties of consideration under Section 4.15 and 4.17 of the Act.
- A.3 To ensure an appropriate level of provision of amenities and services occurs within the City and to occupants of sites.
- A.4 To improve the amenity, safety and environmental quality of the locality.
- A.5 Having regard to environmental quality, the circumstances of the case and the public interest.
- A.6 Having regard to the Wagga Wagga Development Control Plan 2010.
- A.7 To help retain and enhance streetscape quality.
- A.8 Ensure compatibility with adjoining and neighbouring land uses and built form.
- A.9 To protect public interest, the environment and existing amenity of the locality.
- A.10 To minimise health risk to neighbouring residents and workers.

### B. SCHEDULE B – Deferred Commencement Conditions

N/A

#### C. SCHEDULE C - Conditions

#### **Approved Plans and Documentation**

C.1 The development must be carried out in accordance with the approved plans and specifications as follows.

Plan/DocNo.	Plan/Doc Title	Prepared by	Issue	Date
	Statement of	Sewell Design Pty Ltd		14.12.2021
	Environmental Effects			
	& Heritage Impact			
	Statement			
1263795S	BASIX Certificate	ESD Scientific Pty Ltd		13.12.2021
01	Site Plans/WHS	Sewell Design Pty Ltd	1	14.02.2022
	Report/Roof Plan			
02	Floor	Sewell Design Pty Ltd	1	14.02.2022
	Plans/Perspectives			
03	Elevations/	Sewell Design Pty Ltd	I	14.02.2022
	Perspectives			
04	Section/Section	Sewell Design Pty Ltd	1	14.02.2022
	Table/Basix			
	Proposed Colours	Hunt.Co		Received
				17.03.2022



The Development Application has been determined by the granting of consent subject to and as amended by the conditions of development consent specified below.

NOTE: Any modifications to the proposal shall be the subject of an application

under Section 4.55 of the Environmental Planning and Assessment

Act, 1979.

#### Requirements before a Construction Certificate can be issued

C.2 Prior to the issue of Construction Certificate the applicant must lodge a bond with Council of:-

\$2000 for security deposit on the kerb and gutter and footpath

Plus a non-refundable administration fee as per Council's Fees and Charges.

NOTE 1: Applicants will be required to contact Council PRIOR to making the payment to arrange a bond (BKG) number. This must be done prior to

making payment at Council's customer service desk.

NOTE 2: In lieu of payment, the applicant can with written authorisation from

their builder, utilise an ongoing bond should their builder hold and

ongoing bond.

NOTE 3: All monetary conditions are reviewed annually, and may change on 1

July each year.

Works in the form of driveways, kerb and gutter and footpath may NOTE 4:

> require you to obtain a Section 138 Roads Act 1993 approval. Please contact Councils Road Reserve Officer on 1300 292 442 prior to

undertaking such works.

NOTE 5: Council will accept a once off security deposit for the kerb and gutter

> and footpath for applicants who lodge multiple DA's with council. If the applicant has security deposits held by Council for kerb and gutter and

footpath at the time of Construction Certificate application, then Council may waive the need for an additional bond to be paid.

NOTE 6: The bond held on the kerb and gutter and footpath is fully refundable

> upon completion of all works and upon inspection by Council to ensure that any damage to Council infrastructure has been repaired. The bond will not be refunded in the event that damage done to Council's infrastructure is not repaired to the satisfaction of Council.

All damage is to be repaired at the full cost of the applicant

C.3 Pursuant to s7.12 of the Environmental Planning and Assessment Act 1979 and the Wagga Wagga Local Infrastructure Contributions Plan 2019-2034, a monetary contribution of \$14,500 must be paid to Council, prior to the issuing of the Construction Certificate. The monetary contribution payable under this condition will be indexed in accordance with Clause 3.2 of the Wagga Wagga Local Infrastructure Contributions Plan 2019-2034 from the endorsed date of this Development Consent until the date of payment.



NOTE 1: Clause 3.2 of the Wagga Wagga Local Infrastructure Contributions

Plan 2019-2034 provides for Section 7.12 contributions to be indexed in accordance with annual movements in the March quarter Consumer Price Index (CPI) (All Groups Index) for Sydney as published by the

Australian Bureau of Statistics.

NOTE 2: The monetary contribution identified above remains applicable if paid

within the same financial year as the date of determination. If payment is to be made outside this period, you are advised to contact Council prior to payment being made to determine if CPI increases/decreases have occurred since the date of this consent. The applicable rate of

CPI at the time of consent is 118.

NOTE 3: A copy of the Wagga Wagga Local Infrastructure Contributions Plan

2019-2034, is available for inspection at Council Chambers, corner Baylis and Morrow Streets, Wagga Wagga, or on Council's website.

C.4 Prior to the release of Construction Certificate a compliance certificate under s306 of the Water Management Act 2000 must be obtained in respect of the development relating to water management works that may be required in connection with the development.

NOTE1: 'Water management work' is defined in s283 of the Water

Management Act to mean a 'water supply work', 'drainage work', 'sewage work' or 'flood work'. These terms are defined in that Act.

NOTE 2: DELETED

NOTE 3: The Council is responsible for issuing compliance certificates and

imposing requirements relating to sewerage, drainage and flood works

for development in its area.

NOTE 4: Under s306 of the Water Management Act 2000, Riverina Water or

the Council, as the case requires, may, as a precondition to the issuing of a compliance certificate, impose a requirement that a payment is made or works are carried out, or both, towards the provision of water supply, sewerage, drainage or flood works.

NOTE 5: The Section 64 Sewer base figure is \$0.

NOTE 6: The Section 64 Stormwater base figure is \$1,323.

The Section 64 Stormwater contribution (updated by the 118/87.9)

required to be paid is \$1,776.

NOTE 7: Section 64 contributions shall be indexed in accordance with CPI

annually at the commencement of the financial year.

NOTE 8: The figures outlined in this consent are based on the current rate of

CPI. Please be advised that CPI changes on a regular basis and you are advised to contact Council prior to payments being made, to ensure no further CPI increases/decreases have occurred since the

date of this consent.



C.5 Prior to release of Construction Certificate an amended plan to illustrate how the chimney structure on the north-east portion of the building will be retained must be submitted to Council for approval of the General Manager or their delegate.

#### Requirements before the commencement of any works

- C.6 Prior to works commencing on site, toilet facilities must be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:
  - a) a standard flushing toilet connected to a public sewer, or
  - b) if that is not practicable, an accredited sewage management facility approved by Council, or
  - c) if that is not practicable, any other sewage management facility approved by Council.
  - NOTE 1: The provision of toilet facilities in accordance with this condition must be completed before any other work is commenced and the toilet facility must not be removed without the prior written approval of Council.
  - NOTE 2: "Vicinity" in this condition is defined to mean within 50 metres of the subject building site.
  - NOTE 3: The toilet facilities are to comply with all WORK COVER NSW requirements.
- C.7 A CONSTRUCTION CERTIFICATE must be obtained pursuant to Section 6.7 of the Environmental Planning and Assessment Act 1979, as amended from either Council or an accredited certifying authority certifying that the proposed works are in accordance with the Building Code of Australia PRIOR to any works commencing.
  - NOTE 1: No building, engineering, excavation work or food premises fitout must be carried out in relation to this development until the necessary Construction Certificate has been obtained.
  - NOTE 2: YOU MUST NOT COMMENCE WORK UNTIL YOU HAVE RECEIVED THE CONSTRUCTION CERTIFICATE, even if you made an application for a Construction Certificate at the same time as you lodged this Development Application.
  - NOTE 3: It is the responsibility of the applicant to ensure that the development complies with the provision of the Building Code of Australia in the case of building work and the applicable Council Engineering Standards in the case of subdivision works. This may entail alterations to the proposal so that it complies with these standards.
- C.8 Prior to works commencing a container must be erected on site for the enclosure of all building rubbish and debris, including that which can be wind blown. The enclosure shall be approved by Council and be retained on site at all times prior to the disposal of rubbish at a licenced Waste Management Centre.



Materials and sheds or machinery to be used in association with the construction of the building must not be stored or stacked on Council's footpath, nature strip, reserve or roadway.

NOTE 1: No building rubbish or debris must be placed, or be permitted to be placed on any adjoining public reserve, footway, road or private land.

NOTE 2: Weighbridge certificates, receipts or dockets that clearly identify where waste has been deposited must be retained. Documentation must include quantities and nature of the waste. This documentation must be provided to Council prior to application for an Occupation Certificate for the development.

NOTE 3: The suitable container for the storage of rubbish must be retained on site until an Occupation Certificate is issued for the development.

- C.9 Prior to the commencement of works erosion and sediment control measures are to be established and maintained to prevent silt and sediment escaping the site or producing erosion. This work must be carried out and maintained in accordance with Council's:
  - a) Development Control Plan 2010 (Section 2.6 and Appendix 2)
  - b) Erosion and Sediment Control Guidelines for Building Sites; and
  - c) Soils and Construction Volume 1, Managing Urban Stormwater

Prior to commencement of works, a plan illustrating these measures shall be submitted to, and approved by, Council.

NOTE: All erosion and sediment control measures must be in place prior to earthworks commencing.

- Prior to works commencing on site: C.10
  - i) Council must be notified of any damage to kerb and gutter and footpath fronting the site. The absence of such notification shall indicate that no damage exists and the applicant shall be responsible for the repair of any damage to kerb and gutter or footpath fronting the
  - Satisfactory protection for existing public infrastructure must be ii) provided and maintained throughout the construction period.
- A Section 68 Approval must be obtained from Council prior to any sewer or stormwater work being carried out on the site.

The licensed plumber must submit to Council, at least two (2) days prior to the commencement of any plumbing and drainage works on site a "Notice of Works".

NOTE: A copy of the Notice of Works form can be found on Council's website.



C.12 A Section 68 Approval must be obtained from Council prior to any sewer or stormwater work being carried out on the site associated with the pool installation.

In sewered areas all backwash water or water discharged from the pool during emptying must be discharged into Council's sewer in accordance with the requirements of AS/NZS 3500 and the Plumbing Code of Australia.

A licensed plumber must submit to Council, at least two (2) days prior to the commencement of any plumbing and drainage works on site a "Notice of Works". A copy of the Notice of Works form can be found on Council's website.

NOTE: If a cartridge filter is proposed, a Section 68 Approval may not be

required.

NOTE: Discharge from pools in unsewered areas will be in a method

approved by Council.

#### Requirements during construction or site works

- C.13 The Builder must at all times maintain, on the job, a legible copy of the plans and specifications approved with the Construction Certificate.
- C.14 All excavation and backfilling associated with the erection/demolition of the building must be properly guarded and protected to prevent them from being dangerous to life or property.
- C.15 The demolition must be carried out in accordance with the provisions of Australian Standard AS2601-2001: The Demolition of Structures.

Within fourteen (14) days of completion of demolition, the following information shall be submitted to Council for assessment and approval:

- a) an asbestos clearance certificate prepared by a competent person; and
- b) a signed statement verifying that demolition work and the recycling of materials was undertaken in accordance with any Waste Management Plan approved with this consent. In reviewing such documentation Council will require the provision of actual weighbridge receipts for the recycling/disposal of all materials.
- NOTE 1: Developers are reminded that WorkCover requires that all plant and equipment used in demolition work must comply with the relevant Australian Standards and manufacturer specifications.
- NOTE 2: Demolition works involving the removal and disposal of asbestos cement must only be undertaken by contractors who hold a current WorkCover "Demolition Licence" and a current WorkCover "Class 2 (Restricted) Asbestos Licence".
- NOTE 3: Competent Person (as defined under Safe Removal of asbestos 2nd Edition [NOHSC: 2002 (2005)] means a person possessing adequate qualifications, such as suitable training and sufficient knowledge, experience and skill, for the safe performance of the specific work.



NOTE 4: A licence may be required for some of the tasks described in the document entitled Safe Removal of Asbestos 2nd Edition as requiring a competent person.

- C.16 The permitted construction hours are Monday to Friday 7.00am to 6.00pm and Saturday 7.00am to 5.00pm, excepting public holidays. All reasonable steps must be taken to minimise dust generation during the demolition and/or construction process. Demolition and construction noise is to be managed in accordance with the Office of Environment and Heritage Guidelines.
- C.17 All roofed and paved areas of the proposed additions must be drained and conveyed to the existing roofwater drainage system, in accordance with AS/NZS 3500.3.2003 'Stormwater Drainage'.
- C.18 All earthworks, filling, building, driveways or other works, must be designed and constructed (including stormwater drainage if necessary) so that at no time, will any ponding of stormwater occur on adjoining land as a result of this development.
- C.19 In accordance with Clause 94 of the Environmental Planning and Assessment Regulation 2000 the owner of the building shall ensure that the building is equipped with smoke alarms that are located on or near the ceiling and complying with the following:
  - (a) in any storey of the building containing bedrooms in every corridor or hallway associated with a bedroom, and if there is no such corridor or hallway associated with a bedroom, between that part of the building containing the bedroom and the remainder of the building; and
  - (b) in any other storey of the building not containing bedrooms.

Where more than one smoke alarm is installed within the Class 1(a) building, they must be interconnected.

The smoke alarm(s) installed shall be functioning and shall comply with the requirements of AS 3786 and shall be powered from the mains electricity supply, or by a non-removable battery with a minimum life expectancy of 10 years that is connected to the smoke alarm.

- C.20 The domestic oil or solid fuel heating appliance shall be installed in accordance with the provisions of the Building Code of Australia (as defined by the Environmental Planning and Assessment Act 1979.
- C.21 The developer is to maintain all adjoining public roads to the site in a clean and tidy state, free of excavated "spoil" material.
- C.22 All work is to comply with the Building Code of Australia, the Swimming Pools Act 1992 and Swimming Pools Regulations 2018. In this regard the following minimum requirements will apply:
  - a) a minimum 1.2 metre high child resistant barrier is to be provided to enclose the swimming pool,
  - b) gate/s leading into the pool area is to be fitted with an outward opening, self closing and latching gate,



- c) pool latches are to be located 1.5 metres high above the ground level,
- d) a resuscitation poster is to be affixed within the pool area.

NOTE: Prior to the issue of an occupation certificate, the owner of the property shall supply Council with documentary evidence

## Requirements prior to issue of an Occupation Certificate or prior to operation

- C.23 Certification is to be supplied upon installation of the solid fuel heating appliance by the installer of the appliance to certify the works have been completed in accordance with the provisions of the Building Code of Australia, AS 2918 and manufacturer's specifications.
- C.24 An Occupation Certificate, must be obtained pursuant to Section 6.9 of the Environmental Planning and Assessment Act 1979, from either Council or an accredited certifying authority, prior to occupation of the building.

In order to obtain this, the "Final Occupation Certificate" form must be completed and submitted to Council with all required attachments - failure to submit the completed Occupation Certificate Application form will result in an inability for Council to book and subsequently undertake Occupation Certificate inspection.

NOTE:

The issuing of an Occupation Certificate does not necessarily indicate that all conditions of development consent have been complied with. The applicant is responsible for ensuring that all conditions of development consent are complied with.

C.25 A final inspection must be carried out upon completion of plumbing and drainage work and prior to occupation of the development, prior to the issuing of a final plumbing certificate Council must be in possession of Notice of Works, Certificate of Compliance and Works as Executed Diagrams for the works. The works as Executed Diagram must be submitted in electronic format in either AutoCAD or PDF file in accordance with Council requirements.

All plumbing and drainage work must be carried out by a licensed plumber and drainer and to the requirements of the Plumbing and Drainage Act 2011.

NOTE:

Additional fees for inspections at the Plumbing Interim Occupancy / Plumbing Occupation stage may apply. This will depend on the number of inspections completed at this stage of the work/s.

C.26 Prior to the issue of an Occupation Certificate a Water Plumbing Certificate from Riverina Water County Council shall be submitted to Council.

NOTE 1:

The applicant is to obtain a Plumbing Permit from Riverina Water County Council before any water supply/plumbing works commence and a Compliance Certificate upon completion of the works. Contact Riverina Water County Council's Plumbing Inspector on 6922 0618. Please be prepared to quote your Construction Certificate number.



#### **General requirements**

- C.27 Any earthworks (including any structural support or other related structure for the purposes of the development):
  - (a) must not cause a danger to life or property or damage to any adjoining building or structure on the lot or to any building or structure on any adjoining lot, and
  - (b) must not redirect the flow of any surface or ground water or cause sediment to be transported onto an adjoining property, and
  - (c) retained material must have a gradient of at least 5%, and
  - (d) must be constructed in accordance with the approved plans for such work(s).
  - (e) must be wholly located within the subject site (including footings of any retaining structures)
- C.28 Any alterations to the approved Colour scheme must be submitted to Council for approval by the General Manager or their delegate.
- C.29 A crane permit will be required for the operation of a crane on a public road.
- C.30 The proposed filter and pump must be operated in accordance with the Protection of the Environment Operations (Noise Control) Regulation 2008 which restricts the times of operation. Restrictions apply between 8.00 pm and 7.00 am on weekdays and Saturdays and 8.00 pm to 8.00 am on Sundays and public holidays.
  - NOTE 1: The swimming pool water, together with the treatment processes and facilities must comply with the requirements of the Public Health Act 2010 and Public Health Regulation 2012.

In this regards -

- pH needs to be between 7.2 and 7.8
- Alkalinity needs to be between 80mg/L and 200mg/L
- Free chlorine needs to be between 3mg/L and 10mg/L
- Combined chlorine needs to be less than 1mg/L
- Cyanuric acid (if used) must be between 30mg/L and 100mg/L

NOTE 2: For all pools in "septic areas", the applicant must ensure that water discharged from the pool does not enter the septic tank or adversely impact on the septic disposal area or enter a drainage line.

## D. SCHEDULE D – Activity Approval Conditions (Section 68)

N/A

#### E. SCHEDULE E – Prescribed Conditions

Conditions under this schedule are prescribed conditions for the purposes of section 4.17 (11) of the Environmental Planning and assessment Act 1979.

E.1 Fulfilment of BASIX commitments (clause 97A EP&A Reg 2000)



The commitments listed in any relevant BASIX Certificate for this development must be fulfilled in accordance with the BASIX Certificate Report, Development Consent and the approved plans and specifications.

- E.2 Compliance with Building Code of Australia and insurance requirements under the Home Building Act 1989 (clause 98 EP&A Reg 2000)
  - (1) For development that involves any building work, the work must be carried out in accordance with the requirements of the Building Code of Australia.
  - (2)In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance shall be in force before any building work authorised to be carried out by the consent commences.
  - (3)For a temporary structure that is used as an entertainment venue, the temporary structure must comply with Part B1 and NSW Part H102 of Volume One of the Building Code of Australia.
  - NOTE 1: This condition does not apply:
    - to the extent to which an exemption is in force under clause 187 or (a) 188 of the Environmental Planning and Assessment Regulation 2000 (the Regulation), subject to the terms of any condition or requirement referred to in clause 187(6) or 188(4) of the Regulation, or
    - (b) to the erection of a temporary building, other than a temporary structure to which part (3) of this condition applies.
  - NOTE 2: In this condition, a reference to the Building Code of Australia is a reference to that Code as in force on the date the application is made for the relevant:
    - development consent, in the case of a temporary structure that is an (a) entertainment venue, or
    - construction certificate, in every other case. (b)
  - NOTE 3: There are no relevant provisions in the Building Code of Australia in respect of temporary structures that are not entertainment venues.
- E.3 Erection of signs (clause 98A EP&A Reg 2000)

For development that involves any building work, subdivision work or demolition work, a sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:

- (a) showing the name, address and telephone number of the principal certifying authority for the work, and
- showing the name of the principal contractor (if any) for any building (b) work and a telephone number on which that person may be contacted outside working hours, and
- stating that unauthorised entry to the work site is prohibited. (c)



Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

NOTE 1: This condition does not apply in relation to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

NOTE 2: This condition does not apply in relation to Crown building work that is certified, in accordance with section 6.28 of the Environmental Planning and Assessment Act 1979, to comply with the technical provisions of the State's building laws.

NOTE 3: Principal certifying authorities and principal contractors must also ensure that signs required by this clause are erected and maintained.

E.4 Notification of Home Building Act 1989 requirements (clause 98B EP&A Reg 2000)

Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the principal certifying authority for the development to which the work relates (not being the council) has given the council written notice of the following information:

- (a) in the case of work for which a principal contractor is required to be appointed:
  - i) the name and licence number of the principal contractor, and
  - ii) the name of the insurer by which the work is insured under Part 6 of that Act,
- (b) in the case of work to be done by an owner-builder:
  - i) the name of the owner-builder, and
  - ii) if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under this condition becomes out of date, further work must not be carried out unless the principal certifying authority for the development to which the work relates (not being the council) has given the council written notice of the updated information.

NOTE: This condition does not apply in relation to Crown building work that is certified, in accordance with section 6.28 of the Environmental Planning and Assessment Act 1979, to comply with the technical provisions of the State's building laws.

E.5 Entertainment venues (clause 98C EP&A Reg 2000)

If the development involves the use of a building as an entertainment venue, the development shall comply with the requirements set out in Schedule 3A of the Environmental Planning and Assessment regulation 2000.

E.6 Maximum capacity signage (clause 98D EP&A Reg 2000)



For the following uses of a building: a sign must be displayed in a prominent position in the building stating the maximum number of persons permitted in the building if the development consent for the use contains a condition specifying the maximum number of persons permitted in the building:

- (a) entertainment venue,
- (b) function centre,
- (c) pub,
- (d) registered club,
- (e) restaurant.

NOTE: Words and expressions used in this condition have the same meanings as they have in the Standard Instrument.

E.7 Shoring and adequacy of adjoining property (clause 98E EP&A Reg 2000)

If the development involves an excavation that extends below the level of the base of the footings of a building, structure or work (including any structure or work within a road or rail corridor) on adjoining land, the person having the benefit of the development consent must, at the person's own expense:

- (a) protect and support the building, structure or work from possible damage from the excavation, and
- (b) where necessary, underpin the building, structure or work to prevent any such damage.

NOTE:

This condition does not apply if the person having the benefit of the development consent owns the adjoining land or the owner of the adjoining land has given consent in writing to that condition not applying.

# F. SCHEDULE F – General Terms of Approval (Integrated Development)

N/A

Document Set ID: 5618510 ASSESS Version: 1, Version Date: 21/03/2022