

## Report of Development Application

Environmental Planning and Assessment Act 1979

	Application Number	DA23/0134	Applicant	Matt Jenkins Builder Pty Ltd 18 Dobney Ave
Application	Date of Lodgement	17/03/2023		WAGGA WAGGA NSW 2650
Details	Proposal	Dwelling	Description of Mod.	N/A
	Development Cost	\$456281	Other Approvals	AA23/0153 - PartB4 - Sewer / PartB5 Stormwater (Private)
Site Details	Subject Land	12 Paroo PI TATTON NSW 2650 Lot 12 DP 1291851	Owner	Matt Jenkins Builder Pty Ltd

**Recommendation:** The application be approved subject to conditions of consent as detailed in the draft Notice of Determination.

**Delegation to Determine Application:-** Officer Delegation 7.39

**Report Prepared by:** 

Lani Hudson

Cadet Town Planner

Date: 3/4/2023

Report Approved by:

Sam Robins

Senior Town Planner

Date: 3/4/23

- **Section** not relevant
- Section 4.55 Modification of Consent
- ☐ Section 4.15(1) Matters for consideration general

Description	Dwelling
-------------	----------

Mat	Matters for consideration					
GIS & System Check	Section 4.15(1) EP&A Act 1979	Issue	Legislative Provisions	Not Relevant	Satisfactory	Comment
•	(b) (c) (e)	DA History		O NR	Sat	DA19/0649 as amended - Concept development application to subdivide land into 37 residential lots.

LEP 2010 Zones	(a)(i) (b) (c) (e)	Zoning	LEP  2.2 Zoning of land to which Plan applies  2.3 Zone objectives and Land Use Table	O NR	Sat	<ul> <li>Zoning of land (cl 2.2): R1</li> <li>The development is permissible in the zone (cl. 2.3(1))</li> <li>The development is consistent with the following objectives of the zone (cl. 2.3(2)):</li> <li>To provide for the housing needs of the community.</li> <li>To provide for a variety of housing types and densities.</li> </ul>
Land Parcels & DP	(b) (c) (e)	Land Title  Correct legal description and ownership  Easements & Building Envelopes  Open Deposited Plan (including 88b)  Registered title (deferred commencement)		O NR	Sat	The lot is encumbered by the following relevant restriction under the 88B Instrument:  • Restriction of use of land– To be consistent with Guidance Document, Concept Development Application, Proposed Residential Development, 52 Plumpton Road, Tatton (January 2023) prepared by NGH Consulting  The proposed development complies with the restriction.
LEP 2010 Listed item and Conservation	(a)(i) (a)(iii) (b) (c) (e)	Heritage Conservation Area Listed item	LEP 5.10 Heritage conservation	NR NR	Sat O Sat	

	(a)(i)	Huban Dalagae Aves	LED CO Destrict willing			
	(b)	Urban Release Area	LEP 6.2 Public utility		$\circ$	
oan a	(c) (e)		infrastructure	NR	Sat	
Urk	(0)					
LEP 2010 Urban release Area			LED 6.3 Dovolonment		0	
P 2			LEP 6.3 Development		_	
ے بات			control plan	NR	Sat	
	(a)(i) (a)(iii)	Natural Resource Sensitivity	LEP 7.3 Biodiversity		0	
	(b)			N/D	_	
vity	(c)			NR	Sat	
nsiti	(e)		<b>LEP</b> 7.4 Vulnerable land		$\circ$	
Sei				NR	Sat	
Natural resource Sensitivity			LEP 7.5 Riparian lands		0	
SOL			and waterways	A / D	_	
al re			and waterways	NR	Sat	
atura						
ž			<b>LEP</b> 7.6 Groundwater		0	
			vulnerability	NR	Sat	
	(a)(i)	Flooding	, , , , , , , , , , , , , , , , , , , ,	1/1/		
<u> </u>	(a)(i) (a)(iii) (b)	Flooding			0	
E E	(c)			NR	Sat	
ing	(e)	Overland flow				
Flooding (including MOFFS)			LEP 5.21 Flood Planning		0	
E pn			J.ZTT1000 Flatiling		_	
(inc				NR	Sat	
7	(a)(iii) (b)	Bushfire		0		The site is not mapped as bush fire prone land
Bushfire Prone Land	(b)			_		and a site inspection has confirmed that the
Bushfire rone Lan	(e)			NR	Sat	site or surrounding area is not a bush fire risk.
Prol						
_						No further assessment is required.

Environmental - Contaminated Land & PFAS	(a)(i) (b) (c) (e)	Contaminated Land PFAS Study Area Site observations	SEPP (Resilience and Hazards) 2021	O NR	Sat	There is no indication that the site has previously been occupied by any use that could have led to contamination of the site. Furthermore, the land is not identified on Councils register of contaminated sites.
Airport Constraints	(a)(i) (b) (c) (e)	Airport Constraints	LEP 7.11 Airspace operations  LEP 7.12 Development in	O NR	Sat	
Airpo			areas subject to aircraft noise	NR	Sat	
	(b) (c) (e)	Services/Utilities		O NR	Sat	
		(Septic area? Health referral))				
Sewer and Stormawater		Sewer/stormwater infrastructure (Build over, encroachment, earthwork impacts)				
– Sewer and		Stormwater issues – overland flow				
Assets -		Electricity infrastructure (including setbacks to substations) (Transport/infrastructure SEPP referral)				

Aerial Imagery (*Topographic – Hydrology)	(b) (c) (e)	Existing site conditions  Buildings on site Retaining walls Cut and fill Deposited fill Boundary fencing and walls Private open space Vegetation *Proximity to natural waterways Other observations	O NR	Sat	Site visit undertaken on: 3/4/23
Aerial Imagery (*Topographic – Hydrology)	(b) (c) (e)	Off site observations  Buildings Window locations Private open space Retaining walls Cut and fill Boundary fencing and walls Vegetation *Proximity to natural waterways Other observations	O NR	Sat	
	(a)(iii) (b) (c) (e)	Traffic, access and parking  Manoeuvring  Site Distance Issues  Driveway grade	O NR	Sat	

	Check Driveway location and grade      Side entry pit     Service lids/pits     Poles/turrets/substations     Street Trees			
(a)(iii) (b) (c) (e)	Context, setting and streetscape	O NR	Sat	
(a)(iii) (b) (c) (e)	Public Domain  Impact on street or adjoining public place  Condition/Dilapidation  Construction access	O NR	Sat	
(a)(iii) (b) (c) (e)	Safety, security and crime prevention	O NR	Sat	
(a)(iii) (b) (c) (e)	Site and internal design	O NR	Sat	
(a)(iii) (b) (c) (e)	Solar impact	O NR	Sat	

(a)((b) (c) (e)			O NR	Sat	
	Boundary fencing and screening				
(a)( (b) (c)			O NR	Sat	
(e)	Acoustic privacy conflicts		IVIX	Oat	
	Impacting nearby landuses (Rail, Road, Infrastructure SEPP referrals)				
(a)( (b) (c)	Air and microclimate		0	0	
(e)	Impacting nearby landuses (Rail, Road, Infrastructure SEPP referrals)		NR	Sat	
(a)( (a)( (b)	Earthworks and Soils		0		
(c) (e)	0 ( ) (")		NR	Sat	
		LEP 7.1A Earthworks	O NR	Sat	

(b) Landscaping			0	
(6)		NR	Sat	
(b) Waste		0		
(c) (e)		NR	Sat	
Construction waste		7 7 7	Out	
management				
Asbestos				
(a)(iii) Energy 9 Weter				
(a)(iii) (b) Energy & Water		0		
(e)		NR	Sat	
(a)(i) BASIX	BASIX SEPP 2004			Valid BASIX submitted - 1374849S
(Use assessment checklist)	BASIX SEFF 2004	0		Valid BASIA Submitted - 13746495
(e) (OSE dissessificing circumsty		NR	Sat	
(b) Other hazards		0		
(e) Natural		NR	Sat	
Technological				
(a)(iii) Flora and Fauna				
(on and off-site)		NR	Sat	
Charle for notive year				
Check for native veg requirements (R5 and RU4				
Land)	Section 5AA and Part 7			Section 5AA and Part 7 of the Biodiversity
Landy	of the Biodiversity	0		Conservation Act 2016 (Test for determining
	Conservation Act 2016	NR	Sat	whether proposed development or activity
				likely to significantly affect threatened species
	Test for determining whether			or ecological communities, or their habitats)
	proposed development or activity is likely to significantly			,,
	affect threatened species or			

ecological communities, or their habitats)	There are a number of tests to determine whether the proposal triggers the NSW Biodiversity Offset Scheme under the NSW Biodiversity Conservation Act 2016 and results in the need for further assessments or offsets.  1. Is the subject site identified as an area
	of outstanding biodiversity value on the biodiversity values map?
	No
	Does the amount of native vegetation being removed exceed the biodiversity offsets scheme threshold.
	No native vegetation is proposed to be removed.
	3. Test of Significance - the test to determine whether the proposed development or activity is likely to significantly affect threatened species or ecological communities, or their habitats.
	Given that no native vegetation is being removed and in the absence of any recorded
	endangered flora or fauna on the site of the proposed development, it is not anticipated that the development will significantly affect
	threatened species or ecological communities or their habitats.
	or their reduction

					Based on the above assessment it is satisfied that the development will not trigger the Biodiversity Offset Scheme.
(b) (c) (e)	Social and economic impacts		O NR	Sat	
(b) (c) (e)	Facilitation of Ecologically Sustainable Development		O NR	Sat	
(a)(i) (b) (c) (e)	Other LEP Clauses	LEP 2.7 Demolition requires development consent	NR NR	Sat	
		LEP 4.3 Height of buildings	O NR	Sat	
		LEP 7.9 Primacy of Zone B3 Commercial Core	O NR	Sat	
		LEP 4.2A Erection of dwelling houses and dual occupancies on land in certain residential, rural and environmental protection zones	NR NR	Sat	
		<b>LEP</b> 5.16 Subdivision of, or dwellings on, land in	NR	O Sat	

1	T	1			
		certain rural, residential or			
		environment protection			
		zones			
		Other Clauses			
		Other Clauses		0	
( ) (1)			NR	Sat	
(a)(i) (b)	Other EPIs	SEPP (Transport and		$\circ$	
(c) (e)		Infrastructure) 2021	NR	Sat	
( <del>e</del> )		SEPP (Precincts -		0	
		Regional) 2021	ND	_	
		,	NR	Sat	
		Other SEPPs		$\circ$	
			NR	Sat	
(a)(ii) (b)	Draft EPIs				There are a number of state environmental
(c)			NR	Sat	planning policies currently subject to review,
(e)					including some which have involved
					consultation and notification. None of these are
					applicable to this application.
(a)(iii)	Development Control Plans		0		See discussion below
(b)			NR	Sat	
(e)			NR	Sat	
(a)(iiia)	Planning agreements			$\circ$	No related planning agreement has been
(e)	l ramming agreements		NR	Sat	entered into under section 7.4.
			NR	Sat	Citiona into andor occion in in
(d)	Submissions		0		Nil
(e)					1 1 1
(e)	On ation CO Appril and an area	1,0010000000000000000000000000000000000	NR	Sat	AA00/0450 D-#D4 O / D-#D5
(0)	Section 68 Application made	Local Government Act	0		AA23/0153 - PartB4 - Sewer / PartB5
	as part of DA	1993	NR	Sat	Stormwater (Private)

	1 (-)		T :			
	(e)	Section 7.11 Contributions	EP&A Act 1979		$\circ$	
		(Local Infrastructure Contributions Plan 2019 - 2034)		NR	Sat	
	(e)	Section 7.12 Contributions	EP&A Act 1979		0	
		(Local Infrastructure Contributions Plan 2019 - 2034)		NR	Sat	
	(e)	Section 64 sewer	s64 <i>LG Act 1993</i> & s306		0	
		(Development Servicing Plan – Sewerage Services – July 2013)	Water Management Act 2000	NR	Sat	
	(e)	Section 64 stormwater	s64 <i>LG Act 1993</i> & s306			
	(3)	(Development Servicing Plan –			$\circ$	
		Stormwater – November 2007)	Water Management Act 2000	NR	Sat	
cl.	(a)(iv) (e)	The Regulation - Prescribed	cl.61(1) - Demolition of a		0	
	(5)	Matters	building, the provisions of	NR	Sat	
		EP&A Regulation 2021	AS 2601			
			(ensure condition included			
			requiring compliance with			
			standard)			
			cl.61(7) - Consideration of		0	
			Special Activation Precinct	NR	Sat	
			Master Plan	7 47 4	Out	
			cl.64 - Require existing		0	
			building to be brought into	NR	Sat	
			total or partial conformity			
			with BCA			
			(check with Building Surveyor			
			for development proposing the			
			rebuilding, alteration,			
			enlargement or extension of an			
			existing building)			
			EP&A Regulation 2021	0		

			NR	Sat	
(a)(iv) (e)	The Regulation – Prescribed	EP&A Regulation 2021	0		
	Conditions (ensure conditions of consent included)		NR	Sat	
(e)	Other regulation matters		0		
			NR	Sat	
(e)	Council Policies		O NR	Sat	Policy 046 - Processing Development Applications lodged by Councillors, staff and individuals of which a conflict of interest may arise, or on Council owned land.  No declaration has been made that would require action under this policy.
(e)	Other public interest matters		O NR	Sat	It is considered that this application will not have a detrimental effect on the public interest.

## **Development Control Plan**

In accordance with Clause 4.4 of the EPA Act 1979, the subdivision application that created the subject lot was in part a concept application (DA19/0649 as amended) and included the preparation of a series of development controls that would be used to assess all future development applications on the site as long as they were generally consistent with the concept approval.

The Act states that the determination of any further development application in respect of the site cannot be inconsistent with the consent for the concept proposals for the development of the site. Based on this, the application has been assessed against the controls contained in the document titled 'Guidance Document, Concept Development Application, Proposed Residential Development, 52 Plumpton Road, Tatton (January 2023) prepared by NGH Consulting. Part 4 of this document contains the 'Site Specific DCP Controls' that are outlined below.

Development controls				Comment
•		Not Relevant	Satisfactory	
Notification of a development application	The Concept Development Application (DA19/0649 was publicly exhibited by Council.	O NR	Sat	
	Development that is consistent with the concept design parameters will not be notified.			
	Developments within this site that do not meet the concept design parameters outlined herein, will be notified to adjoining property owners for a period of 7 days. This would be notified to immediately adjoining lots at the side and rear of the lot/s on which development is proposed.			
Off-street parking	Parking is to be provided in accordance with below details.	O NR	Sat	
	Dwelling house – 1 space/dwelling as a minimum.			
	Multi dwelling housing (dual occupancy, attached dwellings, semi-detached dwellings) – 2 spaces/dwelling as a minimum.			

Site area per dwelling	The minimum area of any lot on which development is carried out is to be	O NR	Sat	
	Single dwellings, attached dwellings, dual occupancy, multi-dwelling housing - 300sqm.			
	The site area per dwelling may be distributed to provide a range of lot size and/or dwelling sizes, and to respond to site conditions and context.			
	As noted above, lots may be further subdivided, provided that 300sqm is provided per dwelling pre-subdivision.			
Site cover	The maximum site cover is to be:  • 60 percent for single dwellings, dual occupancy and attached dwellings.  • 60 percent for multi-dwelling housing.	O NR	Sat	
	• 55 percent for Lots 32-37.			

Solar access	Building design and site layout is to ensure adequate sunlight access to the internal living spaces and private open space of the proposed development. Variations can be considered where it can be demonstrated that site constraints, existing built form and good design practices limit the ability of the proposal to comply with these controls.	O NR	Sat	
	For any dwellings on neighbouring land, that have north facing living areas, maintain 3 hours sunlight access to the windows of the living areas between 9am and 3pm in mid-winter (June 22). Variations can be considered where it can be demonstrated that reasonable development would cause non-compliance and the impacts are minimised as far as possible.			
	Any variation referenced above should not be considered development that is inconsistent with the concept design parameters.			
Private open space	At least 16sqm of private open space is required per dwelling. The private open space is to be accessible to the main living area and have a minimum dimension of 3 metres.	O NR	Sat	
	Roofing and enclosure of private open space is permitted, however at least one side is to remain open.			

Front setback	Minimum front setbacks to the primary road are to be 4 metres. Minimum setbacks to the secondary road/frontage are to be 3 metres. Minimum setbacks to garages are to be 5.5 metres.	O NR	Sat	
	In all instances, the garage shall not encroach on the front setback identified above.			
	For Lot 32-37 the minimum front setbacks to the access road is to be 4 metres. The minimum setback to the Plumpton Road frontage is to be 10 metres. Minimum setbacks to garages are to be 5.5 metres. In all instances, the garage shall not encroach on the front setback identified above.			
Side and rear setbacks and building heights  Objective: Building setbacks from the side and rear boundaries and building	Minimum setbacks to parent lot boundaries for terrace/townhouse development and multidwelling developments are to be 1.5 metres to the side and 2.5 metres to the rear.	NR NR	Sat	
heights shall have careful regard to the impact of proposed dwellings on adjoining landowners.	Minimum side setbacks for all single dwellings in the R1 zone are to be 0.9 metres and 2.5 metres to the rear.	O NR	Sat	
	Minimum side setbacks to the wall are to be 2 metres for all single storey dwellings in the R5 zone.	NR NR	O Sat	
	Side and rear setbacks need to be increased for additional building height (for example, for two storey buildings), or on larger R5 lots.	NR NR	Sat	

	A maximum 8.5 metre building height from finished ground level applies to all dwellings (single, multi, etc).	O NR	Sat
Garages, carports, sheds and driveways	A garage door facing a primary or secondary road is not to comprise more than 50 percent of that frontage.	O NR	Sat
	The floor area of an outbuilding must not exceed 8 percent of the area of the lot. The maximum height is to be 4.8 metres.	NR NR	O Sat
	An outbuilding shall not be located in front of the main building line. Variations may be considered for a balcony, deck, patio, pergola, terrace, or verandah.	O NR	Sat
Flooding	Where affected by overland flow flooding, dwellings shall be constructed 500mm above the 100-year ARI overland flow flood level.	NR NR	O Sat

<u>Earthworks</u>	Excavation is not to exceed a maximum depth measured from ground level (existing) as follows:	O NR	Sat	
	a) If located no more than 1m from boundary –     1.5m, and			
	b) If located more than 1m but not more than			
	1.5m from any boundary – 2m, and			
	c) If located more than 1.5m from any boundary – 3m.			
	Any depths and/or setbacks outside of the above may only be considered where there is no unreasonable or unacceptable impact on the amenity of the adjoining properties (direct overlooking and loss of privacy, overshadowing to areas of principal private open space and living areas).			
	Fill is not to exceed:			
	a) 1.5m above ground level (existing), and			
	b) Must be contained by either:			
	(i) A retaining wall or other form of structural support that does not extend more than 1.5m from the closest external wall of the dwelling house, or			
	(ii) An unprotected sloping embankment or batter that does not extend from the dwelling house by more than 3m, in which case the toe of the embankment or batter must be more than 1m away from a side or rear boundary.			
	Variations to the above setbacks can be			

	considered where the applicant can demonstrate that there is an acceptable impact on the amenity of the adjoining properties (privacy, overshadowing). Any variation referenced above should not be considered development that is inconsistent with the concept design parameters.			
	Retaining walls and support for earthworks that are more than 600mm above or below ground (existing) and within 1m of the boundary or more than 1m above the ground level in another location, must take the form of a retaining wall or other form of structural support that:  (a) has been certified by a professional engineer, and			
	<ul> <li>(b) has adequate drainage lines connected to the existing stormwater drainage system for the site, and</li> <li>(c) does not result in any retaining wall or structural support with a total height measured vertically from the base of the</li> </ul>			
	retaining wall or structural support to its uppermost portion is:  (i) more than 1.5m in height and within 1m from a side or rear boundary, or  (ii) more than 3m in height at any other location.			
Habitable windows to front elevation	All dwellings must include a minimum of one habitable window to the front elevation.	O NR	Sat	

Privacy	A window in a habitable room must have a privacy screen over any part of that window that is less than 1.5m above the floor level of the room in the following cases—	O NR	Sat	
	(a) the floor level of the habitable room is 1m or more, but not more than 3.5m, above ground level (existing) and the window faces a side or rear boundary and is less than 3m from that boundary,			
	(b) the floor level of the habitable room is more than 3.5m above ground level (existing) and the window faces a side or rear boundary and is less than 6m from that boundary,			
	(c) the floor level of the habitable room is 1m or more, but not more than 3.5m, above ground level (existing) and the window faces a dwelling on the same lot and is less than 6m from that dwelling,			
	(d) the floor level of the habitable room is more than 3.5m above ground level (existing) and the window faces a dwelling on the same lot and is less than 12m from that dwelling.			
	The above parameters do not apply to—			
	(a) a habitable room with a floor level not more than 1m above ground level (existing), or			
	(b) a window that faces a road or public space, or			
	(c) a bedroom window that has an area of not more than 2m2.			

The edge of a balcony, deck, patio, terrace, or verandah must have a privacy screen with a height of at least 1.5m above the floor level of a balcony, deck, patio, terrace or verandah in the following cases— (a) the floor level of the balcony, deck, patio, terrace or verandah is 1m or more, but not more than 3m, above ground level (existing) and the edge faces a side or rear boundary and is less than 3m from that boundary, (b) the floor level of the balcony, deck, patio, terrace, or verandah is more than 3m above ground level (existing) and the edge faces a side or rear boundary and is less than 6m from that boundary, (c) the floor level of the balcony, deck, patio, terrace or verandah is 1m or more, but not more than 2m, above ground level (existing) and the edge faces a dwelling on the same lot and is less than 6m from that dwelling. (d) the floor level of the balcony, deck, patio, terrace, or verandah is more than 2m above ground level (existing) and the edge faces a dwelling on the same lot and is less than 12m from that dwelling. The above parameters do not apply to a balcony, deck, patio, terrace, or verandah— (a) with a floor level not more than 1m above ground level (existing), or (b) that faces a road or public space, or (c) that has an area of not more than 2m2.