## **BASIX**<sup>°</sup>Certificate

Building Sustainability Index www.basix.nsw.gov.au

## Alterations and Additions

Certificate number: A492765

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretarv Date of issue: Monday, 27, March 2023 To be valid, this certificate must be lodged within 3 months of the date of issue.



Planning, Industry & Environment



Project name	Peppermint Dr		
Street address	50 Peppermint Drive Springvale 2650		
Local Government Area	Government Area Wagga Wagga City Council		
Plan type and number	Deposited Plan 1073172		
Lot number	68		
Section number			
Project type			
Dwelling type	Separate dwelling house		
Type of alteration and addition	My renovation work is less than \$50,000, bu includes a pool (and/or spa) with a combined capacity of 40,000 litres or more.		

Certificate Prepared by (please complete before submitting to Council or PCA)

Name / Company Name: Leisure Pools Wagga

ABN (if applicable): 23654923350

Pool and Spa	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check	
Rainwater tank				
The applicant must install a rainwater tank of at least 4528 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities.	~	~	~	
The applicant must configure the rainwater tank to collect rainwater runoff from at least 330 square metres of roof area.		$\checkmark$	$\checkmark$	
The applicant must connect the rainwater tank to a tap located within 10 metres of the edge of the pool.		$\checkmark$	$\checkmark$	
Outdoor swimming pool				
The swimming pool must be outdoors.	$\checkmark$	$\checkmark$	$\checkmark$	
The swimming pool must not have a capacity greater than 63.9 kilolitres.	$\checkmark$	$\checkmark$	$\checkmark$	
The swimming pool must have a pool cover.		$\checkmark$	$\checkmark$	
The applicant must install a pool pump timer for the swimming pool.		$\checkmark$	$\checkmark$	
The applicant must not incorporate any heating system for the swimming pool that is part of this development.		$\checkmark$	$\checkmark$	

## Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a " " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a "v" in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.