

Report of Development Application

Environmental Planning and Assessment Act 1979

	Application Number DA23/0244		Applicant	Matt Jenkins Builder Pty Ltd 18 Dobney Ave
Application	Date of Lodgement	24/05/2023		WAGGA WAGGA NSW 2650
Details	Proposal	Dwelling	Description of Mod.	N/A
	Development Cost	\$587101	Other Approvals	Section 68 Activity Approval - Part B4 Sewer / Part B5 Stormwater (Private) (AA23/0273)
Site Details	Subject Land	28 Paroo Pl TATTON NSW 2650 Lot 4 DP 1291851	Owner	CA McAlister & GS McAlister

Recommendation: The application be approved subject to conditions of consent as detailed in the draft Notice of Determination.

Delegation to Determine Application: - Officer Delegation 7.39

Report Prepared & approved by:

M. Bousfull

Hayden Bousfield Town Planner

Date: 06/07/2023

Category 1 Development Assessment Report and Checklist



Section 4.55 Modification of Consent

Section 4.15(1) Matters for consideration - general

Description The Development Application seeks consent for the construction of a single storey dwelling on a vacant allotment at 28 Paroo PI, Tatton.

Mat	Matters for consideration					
GIS & System Check	Section 4.15(1) EP&A Act 1979	Issue	Legislative Provisions	Not Relevant	Satisfactory	Comment
>	(b) (c) (e)	DA History		O NR	S at	DA19/0649 as amended

(a)(i) (b) Zoning	LEP	\bigcirc		Zoning of land (cl 2.2): R1
	2.2 Zoning of land to which Plan applies2.3 Zone objectives and Land Use Table	NR	Sat	 The development is permissible in the zone (cl. 2.3(1)) The development is consistent with the following objectives of the zone (cl. 2.3(2)): To provide for the housing needs of the community. To provide for a variety of housing types and densities.

						5
	(b) (c)	Land Title		\bigcirc		The subject site is Lot 4 in DP 1291851
Land Parcels & DP	(e)	Correct legal description and ownership Easements & Building Envelopes Open Deposited Plan (including 88b) Registered title (deferred commencement)		NR	Sat	MERCEN 2 (A2) MERCENCE Image: A and A an
LEP 2010 Listed item and Conservation	(a)(i) (a)(iii) (b) (c) (e)	Heritage Conservation Area Listed item	LEP 5.10 Heritage conservation	NR NR	O Sat O Sat	

) Urban Area	(a)(i) (b) (c) (e)	Urban Release Area	LEP 6.2 Public utility infrastructure	● NR	O Sat	
LEP 2010 Urban release Area			LEP 6.3 Development control plan	NR	O Sat	
~	(a)(i) (a)(iii) (b)	Natural Resource Sensitivity	LEP 7.3 Biodiversity		O Sat	
Sensitivit	(c) (e)		LEP 7.4 Vulnerable land	NR NR	O Sat	
Natural resource Sensitivity			LEP 7.5 Riparian lands and waterways	• NR	O Sat	
Natu			LEP 7.6 Groundwater vulnerability	• NR	O Sat	
ling MOFFS)	(a)(i) (a)(iii) (b) (c) (e)	Flooding Overland flow		• NR	O Sat	
Flooding (including MOFFS)			LEP 5.21 Flood Planning	NR	O Sat	
Bushfire Prone Land	(a)(iii) (b) (c) (e)	Bushfire		O NR	Sat	The site is not mapped as bush fire prone land and a site inspection has confirmed that the site or surrounding area is not a bush fire risk. No further assessment is required.

73	(a)(i)	Contaminated Land	SEPP (Resilience and	0		7 There is no indication that the site has
Environmental - Contaminated Land & PFAS	(b) (c) (e)	PFAS Study Area Site observations	Hazards) 2021	NR	Sat	previously been occupied by any use that could have led to contamination of the site. Furthermore, the land is not identified on Councils register of contaminated sites.
Airport Constraints	(a)(i) (b) (c) (e)	Airport Constraints	LEP 7.11 Airspace operations	O NR	• Sat	
Airport C			LEP 7.12 Development in areas subject to aircraft noise	O NR	S at	
	(b) (c) (e)	Services/Utilities (Septic area? Health referral))		O NR	Sat	
Sewer and Stormawater		Sewer/stormwater infrastructure (Build over, encroachment, earthwork impacts)				
1		Stormwater issues – overland flow				
Assets		Electricity infrastructure (including setbacks to substations) (Transport/infrastructure SEPP referral)				

Aerial Imagery (*Topographic – Hydrology)	(b) (c) (e)	Existing site conditions Buildings on site Retaining walls Cut and fill Deposited fill Boundary fencing and walls Private open space Vegetation *Proximity to natural waterways Other observations	O NR	Sat	Site visit undertaken on: 01/06/2023
Aerial Imagery (*Topographic – Hydrology)	(b) (c) (e)	Offsite observations Buildings Window locations Private open space Retaining walls Cut and fill Boundary fencing and walls Vegetation *Proximity to natural waterways Other observations	O NR	Sat	
	(a)(iii) (b) (c) (e)	Traffic, access, and parking Manoeuvring Site Distance Issues Driveway grade	O NR	Sat	

	Check Driveway location and grade Side entry pit Service lids/pits Poles/turrets/substations Street Trees 			
(a)(iii) (b) (c) (e)	Context, setting and streetscape	O NR	• Sat	
(a)(iii) (b) (c) (e)	Public DomainImpact on street or adjoining public placeCondition/Dilapidation	O NR	Sat	
(a)(iii) (b) (c) (e)	Construction access Safety, security, and crime prevention	O NR	• Sat	
(a)(iii) (b) (c) (e)	Site and internal design	O NR	S at	
(a)(iii) (b) (c) (e)	Solar impact	O NR	• Sat	

Category 1 Development Assessment Report and Checklist

(a (h) (d)	a)(iii) b) c) e)	Visual Privacy		O NR	• Sat	
		Private open space Boundary fencing and screening				
(a (t) (e	a)(i) b) c) e)	Noise and Vibration Acoustic privacy conflicts		O NR	S at	
		Impacting nearby land uses (Rail, Road, Infrastructure SEPP referrals)				
(0	a)(i) b) c) e)	Air and microclimate Impacting nearby land uses (Rail, Road, Infrastructure SEPP referrals)		O NR	Sat	
() () () ()	a)(i) a)(iii) b) c) e)	Earthworks and Soils Cut and fill Stability and erosion control Stormwater quality		O NR	Sat	
			LEP 7.1A Earthworks	O NR	S at	

					11
(b) (c) (e)	Landscaping		• NR	O Sat	
(b) (c) (e)	Waste Construction waste management Asbestos		O NR	• Sat	
(a)(iii) (b) (c) (e)	Energy & Water		O NR	• Sat	
(a)(i) (b) (c) (e)	BASIX (Use assessment checklist)	BASIX SEPP 2004	O NR	• Sat	The applicant has submitted BASIX Certificate 1393698S. The measures indicated on the BASIX Certificate are consisted with the submitted plans set and therefore satisfies the BASIX requirements.
(b) (c) (e)	Other hazards Natural Technological		O NR	• Sat	

(a)(Flora and Fauna		0		
(b) (c)	(on and off-site)		NR	Sat	
(e)				Sal	
	Check for native veg				
	requirements (R5 and RU4				
	Land)	Section 5AA and Part 7	0		Section 5AA and Part 7 of the Biodiversity
		of the Biodiversity Conservation Act 2016	NR	Sat	Conservation Act 2016 (Test for determining whether proposed development or activity
		Conservation Act 2010			likely to significantly affect threatened species
		Test for determining whether			or ecological communities, or their habitats)
		proposed development or activity is likely to significantly			
		affect threatened species or			There are a number of tests to determine
		ecological communities, or their habitats)			whether the proposal triggers the NSW Biodiversity Offset Scheme under the NSW
		habitatoy			Biodiversity Conservation Act 2016 and results
					in the need for further assessments or offsets.
					1. Is the subject site identified as an area
					of outstanding biodiversity value on the biodiversity values map?
					biodiversity values map?
					No
					2. Does the amount of native vegetation
					being removed exceed the biodiversity
					offsets scheme threshold.
					No native vegetation is proposed to be
					removed.
					3. Test of Significance - the test to
					determine whether the proposed

					13
					development or activity is likely to significantly affect threatened species or ecological communities, or their habitats.
					Given that no native vegetation is being removed and in the absence of any recorded endangered flora or fauna on the site of the proposed development, it is not anticipated that the development will significantly affect threatened species or ecological communities or their habitats.
					Based on the above assessment it is satisfied that the development will not trigger the Biodiversity Offset Scheme.
(b) (c) (e)	Social and economic impacts		O NR	S at	
(b) (c) (e)	Facilitation of Ecologically Sustainable Development		O NR	S at	
(a)(i) (b) (c) (e)	Other LEP Clauses	LEP 2.7 Demolition requires development consent	• NR	O Sat	
		LEP 4.3 Height of buildings	O NR	S at	
		LEP 7.9 Primacy of Zone B3 Commercial Core	O NR	• Sat	

		LEP 4.2A Erection of dwelling houses and dual occupancies on land in certain residential, rural and environmental	• NR	O Sat	
		protection zones LEP 5.16 Subdivision of,	•	0	
		or dwellings on, land in certain rural, residential or environment protection zones	NR	Sat	
		Other Clauses	• NR	O Sat	
(a)(i) (b) (c) (e)	Other EPIs	SEPP (Transport and Infrastructure) 2021) NR	O Sat	
		SEPP (Precincts - Regional) 2021	• NR	O Sat	
		Other SEPPs	• NR	O Sat	
(a)(ii) (b) (c) (e)	Draft EPIs		O NR	Sat	There are a number of state environmental planning policies currently subject to review, including some which have involved consultation and notification. None of these are applicable to this application.
(a)(iii) (b) (c) (e)	Development Control Plans		• NR	O Sat	See discussion below

	(a)(iiia) (e)	Planning agreements		• NR	O Sat	No related planning agreement has been entered into under section 7.4.
	(d) (e)	Submissions		O NR	• Sat	Nil
	(e)	Section 68 Application made as part of DA	Local Government Act 1993	O NR	Sat	AA23/0273 – Section 68 Activity Approval Part B4 Sewer / Part B5 Stormwater (Private)
	(e)	Section 7.11 Contributions (Local Infrastructure Contributions Plan 2019 - 2034)	EP&A Act 1979	• NR	O Sat	
	(e)	Section 7.12 Contributions (Local Infrastructure Contributions Plan 2019 - 2034)	EP&A Act 1979	• NR	O Sat	
	(e)	Section 64 sewer (Development Servicing Plan – Sewerage Services – July 2013)	s64 LG Act 1993 & s306 Water Management Act 2000	• NR	O Sat	
	(e)	Section 64 stormwater (Development Servicing Plan – Stormwater – November 2007)	s64 LG Act 1993 & s306 Water Management Act 2000	• NR	O Sat	
cl.	(a)(iv) (e)	The Regulation – Prescribed Matters EP&A Regulation 2021	cl.61(1) - Demolition of a building, the provisions of AS 2601	• NR	O Sat	
			(ensure condition included requiring compliance with standard)			
			cl.61(7) - Consideration of Special Activation Precinct Master Plan	• NR	O Sat	

		cl.64 - Require existing building to be brought into total or partial conformity with BCA (check with Building Surveyor for development proposing the rebuilding, alteration, enlargement or extension of an existing building)	NR	O Sat	
		EP&A Regulation 2021	O NR	S at	
(a)(iv) (e)	The Regulation – Prescribed Conditions (ensure conditions of consent included)	EP&A Regulation 2021	O NR	• Sat	
(e)	Other regulation matters		O NR	Sat	
(e)	Council Policies		O NR	Sat	 Policy 046 - Processing Development Applications lodged by Councillors, staff, and individuals of which a conflict of interest may arise, or on Council owned land. No declaration has been made that would require action under this policy.
(e)	Other public interest matters		O NR	• Sat	It is considered that this application will not have a detrimental effect on the public interest.

Development Control Plan

In accordance with Clause 4.4 of the EPA Act 1979, the subdivision application that created the subject lot was in part a concept application (DA19/0649 as amended) and included the preparation of a series of development controls that would be used to assess all future development applications on the site as long as they were generally consistent with the concept approval.

The Act states that the determination of any further development application in respect of the site cannot be inconsistent with the consent for the concept proposals for the development of the site. Based on this, the application has been assessed against the controls contained in the document titled 'Guidance Document, Concept Development Application, Proposed Residential Development, 52 Plumpton Road, Tatton (January 2023) prepared by NGH Consulting. Part 4 of this document contains the 'Site Specific DCP Controls' that are outlined below.

Development controls		Not Relevant	Satisfactory	Comment
Notification of a development application	The Concept Development Application (DA19/0649 was publicly exhibited by Council. Development that is consistent with the concept design parameters will not be notified.	O NR	Sat	The application has been notified in accordance with the notification provisions. Dates: 26/06/2023 – 05/07/2023
	Developments within this site that do not meet the concept design parameters outlined herein, will be notified to adjoining property owners for a period of 7 days. This would be notified to immediately adjoining lots at the side and rear of the lot/s on which development is proposed.			

Off-street parking	Parking is to be provided in accordance with below details.	O NR	• Sat	
	Dwelling house – 1 space/dwelling as a minimum.			
	Multi dwelling housing (dual occupancy, attached dwellings, semi-detached dwellings) – 2 spaces/dwelling as a minimum.			
Site area per dwelling	The minimum area of any lot on which development is carried out is to be	O NR	S at	
	 Single dwellings, attached dwellings, dual occupancy, multi-dwelling housing - 300sqm. 			
	The site area per dwelling may be distributed to provide a range of lot size and/or dwelling sizes, and to respond to site conditions and context.			
	As noted above, lots may be further subdivided, provided that 300sqm is provided per dwelling pre-subdivision.			
Site cover	 The maximum site cover is to be: 60 percent for single dwellings, dual occupancy and attached dwellings. 	O NR	Sat	
	60 percent for multi-dwelling housing.55 percent for Lots 32-37.			


				19	
Solar access	Building design and site layout is to ensure adequate sunlight access to the internal living spaces and private open space of the proposed development. Variations can be considered where it can be demonstrated that site constraints, existing built form and good design practices limit the ability of the proposal to comply with these controls.	O NR	• Sat		
	For any dwellings on neighbouring land, that have north facing living areas, maintain 3 hours sunlight access to the windows of the living areas between 9am and 3pm in mid-winter (June 22). Variations can be considered where it can be demonstrated that reasonable development would cause non-compliance and the impacts are minimised as far as possible.				
	Any variation referenced above should not be considered development that is inconsistent with the concept design parameters.				
Private open space	At least 16sqm of private open space is required per dwelling. The private open space is to be accessible to the main living area and have a minimum dimension of 3 metres.	O NR	• Sat		
	Roofing and enclosure of private open space is permitted, however at least one side is to remain open.				

Front setback	 Minimum front setbacks to the primary road are to be 4 metres. Minimum setbacks to the secondary road/frontage are to be 3 metres. Minimum setbacks to garages are to be 5.5 metres. In all instances, the garage shall not encroach on the front setback identified above. For Lot 32-37 the minimum front setbacks to the access road is to be 4 metres. The minimum setback to the Plumpton Road frontage is to be 10 metres. Minimum setbacks to garages are to be 5.5 metres. In all instances, the garage shall not encroach on the front setbacks to garages are to be 5.5 metres. 	O NR	Sat	Variation: The proposed development incorporates a minimum garage set of 5.452m, which is does not comply with the 5.5m requirement. Justification: The applicant has acknowledged the non-compliance and requested a variation to the control. To support a variation the applicant has provided the following justification. "With the layout and location of the dwelling on the site the front setback for the garage has been reduced to 5.452m from the prescribed 5.5m. This is a variation of 48mm and is less than a variation of 10%. It will have no impact on the streetscape of the development and will have no negative impact on the surrounding properties."
				development and will have no negative impact on the

Side and rear setbacks and building heightsMinimum setbacks to parent lot boundaries for terrace/townhouse development and multi- dwelling developments are to be 1.5 metres to the side and 2.5 metres to the rear.	NR Sat	
--	--------	--

boundaries and building heights shall have careful regard to the impact of proposed dwellings on adjoining landowners.	Minimum side setbacks for all single dwellings in the R1 zone are to be 0.9 metres and 2.5 metres to the rear.	O NR	Sat	Variation: The proposed development incorporates a minimum rear setback of 1.041m. This does not comply the provision for a minimum 2.5m rear setback. <i>yup and the provision of a minimum 2.5m rear setback yup and the provision of a minimum 2.5m rear setback Justification:</i> The applicant has acknowledged the non-compliance and requested a variation to the control. To support a variation the applicant has provided the following justification. "A variation from the minimum 2.5m is being sought. The design of the dwelling in conjunction with the site design does not allow for the 2.5m rear setback to be viable in this situation. It currently sits 1m from the rear boundary. Aside from the above minor variation to the garage setback, all other conditions of the Guidance Document have been met. The proposal still has the required private open space and does not exceed the 60% allowable site coverage. There will be no impact to the privacy of the adjacent properties or to the properties at the rear. Both properties to the rear are approximately setback 12m from the rear boundary. Paroo Place follows a similar slope to that

of Barrington Street so there will be no overlooking into the rear yards and the proposed residence will not be higher or imposing in nature. There is no perceived impact on solar access to existing or future developments from this variation. Further to this proposal, precedence for the allowance of this variation to the rear setback in this development can be seen at Lot 13 No. 10 Paroo Place, Tatton. This existing dwelling has a rear setback of 1290mm which was approved."
Comments: The proposed variation is considered reasonable in this instance given that the variation is applicable to only 30% of the dwelling width, and the development is still able to achieve adequate compliance with other relevant provisions of the guidance document, including compliance with private open space, overshadowing and privacy.
Where the rear setback is non-compliant, there is minimal risk of visual privacy impacts onto the adjoining property at 12 Barrington St as there remains reasonable separation (11m) between the two dwelling to ensure no unreasonable overlooking occurs between habitable rooms.



	F			
	Minimum side setbacks to the wall are to be 2 metres for all single storey dwellings in the R5 zone.	O NR	S at	
	Side and rear setbacks need to be increased for additional building height (for example, for two storey buildings), or on larger R5 lots.	O NR	• Sat	
	A maximum 8.5 metre building height from finished ground level applies to all dwellings (single, multi, etc).	O NR	• Sat	
Garages, carports, sheds, and driveways	A garage door facing a primary or secondary road is not to comprise more than 50 percent of that frontage.	O R	• Sat	
	The floor area of an outbuilding must not exceed 8 percent of the area of the lot. The maximum height is to be 4.8 metres.	• NR	O Sat	
	An outbuilding shall not be located in front of the main building line. Variations may be considered for a balcony, deck, patio, pergola, terrace, or verandah.	• NR	O Sat	
Flooding	Where affected by overland flow flooding, dwellings shall be constructed 500mm above the 100-year ARI overland flow flood level.	• NR	O Sat	

Earthworks	Excavation is not to exceed a maximum depth measured from ground level (existing) as follows:	O NR	Sat	
	 a) If located no more than 1m from boundary – 1.5m, and 			
	b) If located more than 1m but not more than			
	1.5m from any boundary – 2m, and			
	 c) If located more than 1.5m from any boundary – 3m. 			
	Any depths and/or setbacks outside of the above may only be considered where there is no unreasonable or unacceptable impact on the amenity of the adjoining properties (direct overlooking and loss of privacy, overshadowing to areas of principal private open space and living areas).			
	Fill is not to exceed:			
	a) 1.5m above ground level (existing), and			
	b) Must be contained by either:			
	 (i) A retaining wall or other form of structural support that does not extend more than 1.5m from the closest external wall of the dwelling house, or 			
	 (ii) An unprotected sloping embankment or batter that does not extend from the dwelling house by more than 3m, in which case the toe of the embankment or batter must be more than 1m away from a side or rear boundary. 			
	Variations to the above setbacks can be			

	considered where the applicant can demonstrate that there is an acceptable impact on the amenity of the adjoining properties (privacy, overshadowing). Any variation referenced above should not be considered development that is inconsistent with the concept design parameters.			
	Retaining walls and support for earthworks that are more than 600mm above or below ground (existing) and within 1m of the boundary or more than 1m above the ground level in another location, must take the form of a retaining wall or other form of structural support that: (a) has been certified by a professional engineer, and			
	 (b) has adequate drainage lines connected to the existing stormwater drainage system for the site, and (c) does not result in any retaining wall or 			
	structural support with a total height measured vertically from the base of the retaining wall or structural support to its uppermost portion is:			
	 (i) more than 1.5m in height and within 1m from a side or rear boundary, or (ii) more than 3m in height at any other location. 			
Habitable windows to front elevation	All dwellings must include a minimum of one habitable window to the front elevation.	O NR	Sat	

				28
Privacy	 A window in a habitable room must have a privacy screen over any part of that window that is less than 1.5m above the floor level of the room in the following cases— (a) the floor level of the habitable room is 1m or more, but not more than 3.5m, above ground level (existing) and the window faces a side or rear boundary and is less than 3m from that boundary, 	O NR	Sat	
	 (b) the floor level of the habitable room is more than 3.5m above ground level (existing) and the window faces a side or rear boundary and is less than 6m from that boundary, 			
	(c) the floor level of the habitable room is 1m or more, but not more than 3.5m, above ground level (existing) and the window faces a dwelling on the same lot and is less than 6m from that dwelling,			
	(d) the floor level of the habitable room is more than 3.5m above ground level (existing) and the window faces a dwelling on the same lot and is less than 12m from that dwelling.			
	The above parameters do not apply to— (a) a habitable room with a floor level not more than 1m above ground level (existing), or			
	 (b) a window that faces a road or public space, or (c) a bedroom window that has an area of not more than 2m2. 			

The edge of a balcony, deck, patio, terrace, or verandah must have a privacy screen with a height of at least 1.5m above the floor level of a balcony, deck, patio, terrace or verandah in the following cases— (a) the floor level of the balcony, deck, patio, terrace or verandah is 1m or more, but not	O NR	Sat	
more than 3m, above ground level (existing) and the edge faces a side or rear boundary and is less than 3m from that boundary,			
(b) the floor level of the balcony, deck, patio, terrace, or verandah is more than 3m above ground level (existing) and the edge faces a side or rear boundary and is less than 6m from that boundary,			
 (c) the floor level of the balcony, deck, patio, terrace or verandah is 1m or more, but not more than 2m, above ground level (existing) and the edge faces a dwelling on the same lot and is less than 6m from that dwelling, 			
 (d) the floor level of the balcony, deck, patio, terrace, or verandah is more than 2m above ground level (existing) and the edge faces a dwelling on the same lot and is less than 12m from that dwelling. 			
The above parameters do not apply to a balcony, deck, patio, terrace, or verandah—			
(a) with a floor level not more than 1m above ground level (existing), or			
(b) that faces a road or public space, or			
(c) that has an area of not more than 2m2.			

Version 1.0 August 2020