

Report of Development Application

Environmental Planning and Assessment Act 1979

Application Details	Application Number	DA23/0239	Applicant	Tk Flood Pty Ltd 31 Walana Cres KOORINGAL NSW 2650
	Date of Lodgement	19/05/2023		
	Proposal	Swimming Pool	Description of Mod.	N/A
	Development Cost	\$30000	Other Approvals	Nil
Site Details	Subject Land	252 Muttama Pde GOBBAGOMBALIN NSW 2650 Lot 560 DP 1255707	Owner	JP Flood & KM Wild

Recommendation: The application be approved subject to conditions of consent as detailed in the draft Notice of Determination.

Delegation to Determine Application:- Officer Delegation 7.39

Report Prepared by:



Victoria Rice
Cadet Town Planner

Date: 10/7/2023

Report Approved by:



Amanda Gray
Senior Town Planner

Date: 10.7.2023

☒ section not relevant

☒ Section 4.55 Modification of Consent

☐ Section 4.15(1) Matters for consideration - general

Description	In-ground pool
--------------------	----------------

Matters for consideration						
GIS & System Check	Section 4.15(1) <i>EP&A Act 1979</i>	Issue	Legislative Provisions	Not Relevant	Satisfactory	Comment
◀	(b) (e)	DA History		○ <i>NR</i>	● <i>Sat</i>	DA22/0446 - Dwelling

LEP 2010 Zones	(a)(i) (b) (c) (e)	Zoning	LEP 2.2 Zoning of land to which Plan applies 2.3 Zone objectives and Land Use Table	<input type="radio"/> <i>NR</i>	<input checked="" type="radio"/> <i>Sat</i>	Zoning of land (cl 2.2): R1 The development is permissible in the zone (cl. 2.3(1)) The development is consistent with the following objectives of the zone (cl. 2.3(2)): <ul style="list-style-type: none"> • To provide for the housing needs of the community. • To provide for a variety of housing types and densities.
----------------	-----------------------------	---------------	--	------------------------------------	--	--

Land Parcels & DP	(b) (c) (e)	Land Title		<div><div></div><div>NR</div></div>	<div><div></div><div>Sat</div></div>	<p>The site is encumbered by the following easements:</p> <ul style="list-style-type: none">• Variable width easement for support along the rear boundary.• 3m wide easement for drainage of sewage and stormwater in the north west corner of the site.• 2.4m wide and 18.4m long easement for support (for the existing retaining wall for the driveway) approximately 6m from the western property boundary. <p>The development does not impact on any of these easements and a condition of consent will restrict any earthworks and trenching.</p> <p>An additional restriction on the Use of Land ninthly referred to in the Plan as follows:</p> <p>(viii) No landfill will be placed or kept upon any lot. Landfill includes soil or other material imported to the lot or soil excavated on the lot (eg. for a swimming pool).</p> <p>A condition of consent will ensure that excavated fill is removed from the site.</p>
		<p>Correct legal description and ownership</p> <p>Easements & Building Envelopes</p> <p>Open Deposited Plan (including 88b)</p> <p>Registered title (deferred commencement)</p>				
LEP 2010 Listed item and Conservation	(a)(i) (a)(iii) (b) (c) (e)	Heritage Conservation Area		<div><div></div><div>NR</div></div>	<div><div></div><div>Sat</div></div>	
		Listed item	LEP 5.10 Heritage conservation	<div><div></div><div>NR</div></div>	<div><div></div><div>Sat</div></div>	
		<i>DCP 3 Heritage Conservation</i>				

LEP 2010 Urban release Area	(a)(i) (b) (c) (e)	Urban Release Area	LEP 6.2 Public utility infrastructure	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
			LEP 6.3 Development control plan	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
Natural resource Sensitivity	(a)(i) (a)(iii) (b) (c) (e)	Natural Resource Sensitivity <i>DCP 5.4 Environmentally sensitive land</i>	LEP 7.3 Biodiversity	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
			LEP 7.4 Vulnerable land	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
			LEP 7.5 Riparian lands and waterways	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
			LEP 7.6 Groundwater vulnerability	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
Flooding (including MOFFS)	(a)(i) (a)(iii) (b) (c) (e)	Flooding Overland flow <i>DCP 4.2 Flooding</i>		<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
			LEP 5.21 Flood Planning	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
Bushfire Prone Land	(a)(iii) (b) (c) (e)	Bushfire <i>DCP 4.1 Bushfire</i>		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	The site is not mapped as bush fire prone land and a site inspection has confirmed that the site or surrounding area is not a bush fire risk. No further assessment is required.

Environmental - Contaminated Land & PFAS	(a)(i) (b) (c) (e)	Contaminated Land PFAS Study Area Site observations	SEPP (Resilience and Hazards) 2021	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	There is no indication that the site has previously been occupied by any use that could have led to contamination of the site. Furthermore, the land is not identified on Councils register of contaminated sites.
Airport Constraints	(a)(i) (b) (c) (e)	Airport Constraints	LEP 7.11 Airspace operations	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
			LEP 7.12 Development in areas subject to aircraft noise	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
Assets – Sewer and Stormwater	(b) (c) (e)	Services/Utilities (Septic area? Health referral) Sewer/stormwater infrastructure (Build over, encroachment, earthwork impacts) Stormwater issues – overland flow Electricity infrastructure (including setbacks to substations) (Transport/infrastructure SEPP referral)		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	

Aerial Imagery (*Topographic – Hydrology)	(b) (c) (e)	Existing site conditions Buildings on site Retaining walls Cut and fill Deposited fill Boundary fencing and walls Private open space Vegetation *Proximity to natural waterways Other observations		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	Site visit undertaken on: 24 May 2023.
Aerial Imagery (*Topographic – Hydrology)	(b) (c) (e)	Off site observations Buildings Window locations Private open space Retaining walls Cut and fill Boundary fencing and walls Vegetation *Proximity to natural waterways Other observations		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	(a)(iii) (b) (c) (e)	Traffic, access and parking Manoeuvring Site Distance Issues Driveway grade		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	

		Check Driveway location and grade <ul style="list-style-type: none"> • Side entry pit • Service lids/pits • Poles/turrets/substations • Street Trees <p>DCP <i>2.1 Vehicle access and movements</i> <i>9.3.6 Front setbacks</i></p>			
	(a)(iii) (b) (c) (e)	Context, setting and streetscape <p>DCP <i>9.2.2 Streetscape</i> <i>9.2.3 Corner lots and secondary facades</i> <i>9.2.4 Sloping Sites</i> <i>9.3.1 Site area per dwelling</i> <i>9.3.2 Site cover</i> <i>9.3.6 Front setbacks</i> <i>9.3.7 Side and rear setbacks</i> <i>9.4.1 Building elements</i> <i>9.4.2 Materials and finishes</i> <i>9.4.4 Garages, carports, sheds and driveways</i> <i>9.4.5 Site facilities</i></p>		<input type="radio"/> <i>NR</i>	<input checked="" type="radio"/> <i>Sat</i>
	(a)(iii) (b) (c) (e)	Public Domain <p>Impact on street or adjoining public place</p> <p>Condition/Dilapidation</p>		<input type="radio"/> <i>NR</i>	<input checked="" type="radio"/> <i>Sat</i>

		Construction access <i>DCP</i> <i>2.7 Development adjoining open space</i> <i>9.4.5 Site facilities</i>			
	(a)(iii) (b) (c) (e)	Safety, security and crime prevention <i>DCP 2.5 Safety and security</i>		<input type="radio"/> <i>NR</i>	<input checked="" type="radio"/> <i>Sat</i>
	(a)(iii) (b) (c) (e)	Site and internal design <i>DCP</i> <i>9.2.1 Site layout</i> <i>9.4.1 Building elements</i> <i>9.4.4 Garages, carports, sheds and driveways</i>		<input type="radio"/> <i>NR</i>	<input checked="" type="radio"/> <i>Sat</i>
	(a)(iii) (b) (c) (e)	Solar impact <i>DCP</i> <i>9.3.4 Solar access</i> <i>9.3.7 Side and rear setbacks</i>		<input type="radio"/> <i>NR</i>	<input checked="" type="radio"/> <i>Sat</i>
	(a)(iii) (b) (c) (e)	Visual Privacy Private open space Boundary fencing and screening <i>DCP</i> <i>9.3.5 Private open space</i>		<input type="radio"/> <i>NR</i>	<input checked="" type="radio"/> <i>Sat</i>

		9.3.7 Side and rear setbacks 9.4.3 Privacy				
	(a)(i) (b) (c) (e)	Noise and Vibration Acoustic privacy conflicts Impacting nearby landuses (Rail, Road, Infrastructure SEPP referrals)		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	(a)(i) (b) (c) (e)	Air and microclimate Impacting nearby landuses (Rail, Road, Infrastructure SEPP referrals)		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	(a)(i) (a)(iii) (b) (c) (e)	Earthworks and Soils Cut and fill Stability and erosion control Stormwater quality <i>DCP</i> <i>9.4.6 Changing the landform – cut and fill</i>		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
			LEP 7.1A Earthworks	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	(b) (c) (e)	Landscaping		<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
	(b) (c) (e)	Waste		<input type="radio"/>	<input checked="" type="radio"/>	

		Construction waste management		NR	Sat	
		Asbestos				
	(a)(iii) (b) (c) (e)	Energy & Water <i>DCP</i> <i>9.3.7 Side and rear setbacks</i> <i>9.4.1 Building elements</i> <i>9.4.2 Materials and finishes</i>		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	(a)(i) (b) (c) (e)	BASIX (Use assessment checklist)	BASIX SEPP 2004	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	Pool capacity is less than 40,000L, BASIX not required.
	(b) (c) (e)	Other hazards Natural Technological		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	(a)(iii) (b) (c) (e)	Flora and Fauna (on and off-site) Check for native veg requirements (R5 and RU4 Land) <i>DCP</i> <i>5.2 Preservation of trees</i> <i>5.3 Native Vegetation Cover</i>		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
			Section 5AA and Part 7 of the Biodiversity Conservation Act 2016 <i>Test for determining whether proposed development or activity is likely to significantly affect threatened species or ecological communities, or their habitats)</i>	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	Section 5AA and Part 7 of the Biodiversity Conservation Act 2016 (Test for determining whether proposed development or activity likely to significantly affect threatened species or ecological communities, or their habitats) There are a number of tests to determine whether the proposal triggers the NSW Biodiversity Offset Scheme under the NSW

					<p>Biodiversity Conservation Act 2016 and results in the need for further assessments or offsets.</p> <p><i>1. Is the subject site identified as an area of outstanding biodiversity value on the biodiversity values map?</i></p> <p>No</p> <p><i>2. Does the amount of native vegetation being removed exceed the biodiversity offsets scheme threshold.</i></p> <p>No native vegetation is proposed to be removed.</p> <p><i>3. Test of Significance - the test to determine whether the proposed development or activity is likely to significantly affect threatened species or ecological communities, or their habitats.</i></p> <p>Given that no native vegetation is being removed and in the absence of any recorded endangered flora or fauna on the site of the proposed development, it is not anticipated that the development will significantly affect threatened species or ecological communities or their habitats.</p>
--	--	--	--	--	--

						Based on the above assessment it is satisfied that the development will not trigger the Biodiversity Offset Scheme.
	(b) (c) (e)	Social and economic impacts		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	(b) (c) (e)	Facilitation of Ecologically Sustainable Development		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	(a)(i) (b) (c) (e)	Other LEP Clauses	LEP 2.7 Demolition requires development consent	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
			LEP 4.3 Height of buildings	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
			LEP 7.9 Primacy of Zone B3 Commercial Core	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
			LEP 4.2A Erection of dwelling houses and dual occupancies on land in certain residential, rural and environmental protection zones	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
			LEP 5.16 Subdivision of, or dwellings on, land in	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	

			certain rural, residential or environment protection zones			
			Other Clauses	● NR	○ Sat	
	(a)(i) (b) (c) (e)	Other EPIs	SEPP (Transport and Infrastructure) 2021	● NR	○ Sat	
			SEPP (Precincts - Regional) 2021	● NR	○ Sat	
			Other SEPPs	● NR	○ Sat	
	(a)(ii) (b) (c) (e)	Draft EPIs		○ NR	● Sat	There are a number of state environmental planning policies currently subject to review, including some which have involved consultation and notification. None of these are applicable to this application.
	(a)(iii) (e)	Planning agreements		● NR	○ Sat	No related planning agreement has been entered into under section 7.4.
	(d) (e)	Submissions		○ NR	● Sat	Nil
	(e)	Section 68 Application made as part of DA	<i>Local Government Act 1993</i>	● NR	○ Sat	
	(e)	Section 7.11 Contributions (Local Infrastructure Contributions Plan 2019 - 2034)	<i>EP&A Act 1979</i>	● NR	○ Sat	

	(e)	Section 7.12 Contributions (Local Infrastructure Contributions Plan 2019 - 2034)	<i>EP&A Act 1979</i>	● NR	○ Sat	
	(e)	Section 64 sewer (Development Servicing Plan – Sewerage Services – July 2013)	<i>s64 LG Act 1993 & s306 Water Management Act 2000</i>	● NR	○ Sat	
	(e)	Section 64 stormwater (Development Servicing Plan – Stormwater – November 2007)	<i>s64 LG Act 1993 & s306 Water Management Act 2000</i>	● NR	○ Sat	
	(a)(iv) (e)	The Regulation – Prescribed Matters <i>EP&A Regulation 2021</i>		○ NR	● Sat	
			<i>cl.61(1) - Demolition of a building, the provisions of AS 2601</i> <i>(ensure condition included requiring compliance with standard)</i>	● NR	○ Sat	
			<i>cl.61(7) - Consideration of Special Activation Precinct Master Plan</i>	● NR	○ Sat	
			<i>cl.64 - require existing building to be brought into total or partial conformity with BCA</i> <i>(check with Building Surveyor for development proposing the rebuilding, alteration, enlargement or extension of an existing building)</i>	● NR	○ Sat	

	(a)(iv) (e)	The Regulation – Prescribed Conditions (ensure conditions of consent included)	EP&A Regulation 2021	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	(e)	Other regulation matters	EP&A Regulation 2021	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	(e)	Council Policies		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	Policy 046 - Processing Development Applications lodged by Councillors, staff and individuals of which a conflict of interest may arise, or on Council owned land. No declaration has been made that would require action under this policy.
	(e)	Other public interest matters		<input type="radio"/> NR	<input checked="" type="radio"/> Sat	It is considered that this application will not have a detrimental effect on the public interest.

Development Control Plan 2010

Section 4.15(1)(a)(iii) of the Environmental Planning and Assessment Act 1979

DCP Section (Objectives and Controls)	Not Relevant	Satisfactory	Comment
(☒ section not relevant)			

☐ 1.10 Notification of a Development Application

Compliance with the advertising and notification procedures detailed in this section of the DCP	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	In accordance with the Council's advertising and notification provisions outlined in Section 1.10 of the WWDCP the application was not required to be notified.
---	-----------------------------	---	---

☒ 1.11 Complying with the Wagga Wagga Development Control Plan 2010

☒ 2.1 Vehicle access and movements

☒ 2.2 Off-street parking

☒ 2.3 Landscaping

☐ 2.5 Safety and security

<i>O1 Incorporate crime prevention strategies in new developments.</i> <i>O2 Encourage active, pedestrian oriented environments where developments are designed to integrate into the public domain.</i>	C1 Use good site planning to clearly define public, semi-public and private areas.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	C2 Entries are to be clearly visible and identifiable from the street, and are to give the resident/occupier a sense of personal address and shelter. For non-residential uses, administration offices or showroom are to be located at the front of the building.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
	C3 Minimise blank walls along street frontages.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	

<p><i>O3 Maximise opportunities for natural surveillance of public spaces and building or site entrances.</i></p>	C4 Avoid areas of potential concealment and 'blind' corners.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	C5 Provide lighting to external entry areas, driveways and car parks in accordance with the relevant Australian Standards. The lighting is to be designed and sited to minimise spill and potential nuisance to adjoining properties.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
	C6 Planting and fencing is not to reduce the safety of users or compromise areas of natural surveillance.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	C7 Where a site provides a pedestrian through route the access path is to be clearly defined and sign posted, appropriately lit, and have satisfactory visibility.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
	C8 Locate public toilets and rest areas to promote their use, and maximise public surveillance without creating visual intrusion.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	

2.6 Erosion and sediment control

<p><i>O1 Protect the environment against soil erosion and loss of soil from construction sites.</i></p> <p><i>O2 Prevent the degradation of drainage systems, waterways and aquatic environments from deposition of soil and foreign material from construction sites.</i></p>	Consistent with the objectives of this section of the DCP.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
--	--	-----------------------------	---	--

<p><i>O3 Prevent flood damage of individual properties caused by sediment reducing the flow capacity of the stormwater drainage system.</i></p> <p><i>O4 Promote the implementation of erosion and sediment control measures by persons undertaking construction and earthworks activities to prevent the loss of soil from the site.</i></p>				
---	--	--	--	--

2.7 Development adjoining open space

3 Heritage Conservation

4.1 Bushfire

4.2 Flooding

5.1 Development on ridges and prominent hills

5.2 Preservation of trees

5.3 Native Vegetation Cover

5.4 Environmentally sensitive land

6 Villages

8 Rural Development

9.1.5 R3 Zone – Staunton Estate

9.2.1 Site layout

<p><i>O1 Encourage site responsive development that is compatible with existing or desired built form.</i></p> <p><i>O2 Facilitate sustainable development through passive solar design.</i></p> <p><i>O3 Integrate landscaping and built form.</i></p> <p><i>O4 Encourage designs which respond to the physical context and characteristics of the particular site.</i></p> <p><i>O5 Encourage design that maximises the opportunity for passive surveillance of communal spaces from private living areas.</i></p>	C1 Use site characteristics such as trees, changes in level or rock outcrops as features within the site layout.	<input type="radio"/>	<input checked="" type="radio"/>	
	C2 Integrate access, landscaping and services in the site layout, avoiding underutilised spaces.	<input type="radio"/>	<input checked="" type="radio"/>	
	C3 Orient living spaces to maximise solar access.	<input checked="" type="radio"/>	<input type="radio"/>	
	C4 Facilitate natural cross ventilation within dwellings through the location of windows and doors.	<input checked="" type="radio"/>	<input type="radio"/>	

9.2.2 Streetscape

<p><i>01 Encourage compatibility with existing built form.</i></p> <p><i>02 Encourage attractive streetscapes.</i></p> <p><i>03 Ensure a strong street edge with good definition between the public and private domain.</i></p> <p><i>04 In locations where front fences are an important feature of the established streetscape, ensure that new fences complement the character of the streetscape.</i></p>	C1 Provide a street address and front elevation that is consistent with the predominant scale, rhythm and form of the street.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	The proposed pool is located in the front setback. The site is unique as it is retained at the front and not visible from the street. It is considered that the pool located in the front is compatible with the existing streetscape.
	C2 Front fence height forward of the building line is not to exceed 1200mm. However, a side boundary fence forward of the building line may be permitted to taper from the maximum permitted height (1.8 metres) at the building line down to the 1200mm maximum permitted height at the front boundary.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
	C3 Fence height at and behind the building line is not to exceed 1800mm in height.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	C4 The majority of windows in dwelling wall which face the street should be windows of habitable rooms.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	

9.2.3 Corner lots and secondary facades

9.2.4 Sloping sites

9.3.1 Site area per dwelling

9.3.2 Site cover

9.3.4 Solar access

9.3.5 Private open space

<p><i>O1 Provide quality, useable private open space.</i></p> <p><i>O2 Ensure adequate areas for recreation and outdoor living.</i></p> <p><i>O3 Encourage good connection between dwellings and private open space.</i></p>	C1 At least 24m ² of private open space is required per dwelling. The private open space is to be directly accessible to the main living area and have a minimum dimension of 4m.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	C2 Enclosure of approved private open space will be permitted, however at least one side of the approved private open space is to remain open. Roofing of approved private open space is permitted provided that BASIX requirements are not compromised.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
	C3 Use screening where necessary to ensure the privacy of private open space areas.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	

9.3.6 Front setbacks

<p><i>O1 Encourage uniform building lines that correspond to the built setbacks and patterns of neighbouring buildings.</i></p> <p><i>O2 Encourage attractive residential streets and quality public domain.</i></p> <p><i>O3 Ensure that new developments complement the established built patterns.</i></p> <p><i>O4 Maintain lines of sight for vehicle safety.</i></p>	<p>C1 Minimum front setbacks for residential development (site area smaller than 2000m²):</p> <p>Primary frontage to a main or arterial road 9m #</p> <p>Primary street frontage (other roads) 6m #</p> <p>Secondary frontage (corner site) 3m #</p> <p># - For residential accommodation in R3 Zones a minimum setback of 3m may be considered.</p>	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	The swimming pool is proposed within the front setback, the site is unique as it is retained at the front and the elevation is not visible from the streetscape. It is considered that a swimming pool in the front setback is compatible with the existing built form.
	C2 In the older areas of Wagga Wagga front setbacks are typically 7.5m. where the setback of existing adjoining buildings is greater than 6m increase the front setback to the setback of the adjoining building closest to the street boundary.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
	C3 The front elevation of a dwelling as visible from a public road shall include at least one change in plane	<input type="radio"/>	<input checked="" type="radio"/>	

	of the dwelling wall (that encloses a habitable room) of a minimum of 500mm. The front of the garage shall not protrude in front of the face of the forward most wall of the dwelling enclosing a habitable room. In all instances, the garage shall not encroach on the front setback identified under C1. The forward most part of a building/dwelling wall shall not project forward of the building line. Refer to diagrams opposite.	NR	Sat	
	<p>C4 Variations to the minimum setback can be considered in the following circumstances:</p> <ul style="list-style-type: none"> • Within Urban Release Areas where it can be demonstrated that the reduced setback will be generally consistent with the character of the area or likely or desired future character of the area consistent with those generally allowed under the SEPP (Exempt and Complying Code) 2008 or relevant Code at the time of lodgement of a development application. • Areas where it can be demonstrated that the setback is consistent with neighbouring properties. This situation is typical to older established areas of Central Wagga and large lot residential land. • Corner lots where it can be demonstrated that the reduced setback on either or both frontages provides a more attractive streetscape without impacting unreasonably on the amenity of the neighbouring properties. This is relevant to designs that address both frontages without boundary fencing. 	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	

9.3.7 Side and rear setbacks

<i>O1 Ensure adequate separation between buildings for landscaping, privacy, natural light and ventilation.</i>	C1 The rear setback for detached secondary dwellings is determined by site conditions and the setbacks of similar structures on adjoining and nearby sites.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	Side and rear setbacks comply with the objectives
---	---	-------------------------------------	---------------------------	---

<p><i>O2 Ensure new development continues the rhythm or pattern of development in the locality.</i></p> <p><i>O3 Provide access for maintenance.</i></p> <p><i>O4 Building setbacks from the side and rear boundaries shall have careful regard to the impact of proposed structures on adjoining landowners.</i></p>	<p>C2 Any point of a building must have a setback from the side boundary nearest to that point of at least:</p> <p>a) If the lot is in Zone R5 a setback of 2m, or</p> <p>b) If the lot is in Zone RU1, RU2 or RU4 a setback of 10m.</p>	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
---	--	--	------------------------------	--

9.4.1 Building elements

9.4.2 Materials and finishes

<p><i>O1 Encourage the use of external materials and finishes that are suited to their location and support consistent quality streetscapes.</i></p> <p><i>O2 Encourage use of materials that have good thermal performance.</i></p> <p><i>O3 Promote the use of materials that are climate responsive and contribute to innovative building design.</i></p>	C1 Select materials for their environmental performance, durability, detail and appearance to achieve quality appearance.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	C2 Avoid large unbroken expanses of any single material.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
	C3 Minimise use of highly reflective or glossy materials on building exteriors.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
	C4 Use contrasting materials in combination with design elements for features such as corner elements.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	

O4 Discourage corporate colours in building facades.				
--	--	--	--	--

9.4.3 Privacy

9.4.4 Garages, carports, sheds and driveways

9.4.5 Site facilities

9.4.6 Changing the landform – cut and fill

<p>O1 Encourage site responsive development and protect the amenity of adjoining land.</p> <p>O2 Avoid excessive earthworks and minimise changes to the natural landform.</p> <p>O3 Encourage site layout and building design that is appropriate to the site conditions, including use of split levels, pier foundation or suspended floor house designs.</p> <p>O4 Avoid adverse impacts on salinity by minimising the potential for surface water to</p>	<p>C1 Excavation is not to exceed a maximum depth measured from ground level (existing) as follows:</p> <p>(a) If located no more than 1m from boundary – 1.5m, and</p> <p>(b) If located more than 1m but not more than 1.5m from any boundary – 2m, and</p> <p>(c) If located more than 1.5m from any boundary – 3m.</p> <p>Any depths and/or setbacks outside of the above may only be considered where there is no unreasonable or unacceptable impact on the amenity of the adjoining properties (direct overlooking and loss of privacy, overshadowing to areas of principal private open space and living areas).</p>	<p>○ NR</p>	<p>● Sat</p>	
	<p>C2 Fill is not to exceed:</p> <p>(a) 1.5m above ground level (existing), and</p> <p>(b) Must be contained by either:</p> <p>(i) A retaining wall or other form of structural support that does not extend more than 1.5m from the closest external wall of the dwelling house, or</p>	<p>○ NR</p>	<p>● Sat</p>	

<p><i>enter the groundwater in recharge areas.</i></p> <p><i>O5 Avoid inappropriate fill being introduced to sites.</i></p> <p><i>O6 Ensure adequate provision of drainage in relation to cut and fill practices.</i></p>	<p>(ii) An unprotected sloping embankment or batter that does not extend from the dwelling house by more than 3m, in which case the toe of the embankment or batter must be more than 1m away from a side or rear boundary.</p> <p>Variations to the above setbacks can be considered where the applicant can demonstrate that there is an acceptable impact on the amenity of the adjoining properties (privacy, overshadowing).</p>			
	<p>C3 Retaining walls and support for earthworks that are more than 600mm above or below ground (existing) and within 1m of the boundary or more than 1m above the ground level in another location, must take the form of a retaining wall or other form of structural support that:</p> <p>(a) has been certified by a professional engineer, and</p> <p>(b) has adequate drainage lines connected to the existing stormwater drainage system for the site, and</p> <p>(c) does not result in any retaining wall or structural support with a total height measured vertically from the base of the retaining wall or structural support to its uppermost portion is:</p> <p>(i) more than 1.5m in height and within 1m from a side or rear boundary, or</p> <p>(ii) more than 3m in height at any other location.</p>	○ NR	● Sat	
	<p>C4 Retaining walls are not to be located within the easement. The retaining wall shall be located outside the easements zone of influence.</p>	○ NR	● Sat	
	<p>C5 No cut or fill to take place within easements.</p>	○ NR	● Sat	
	<p>C6 To encourage site responsive development, excavation and retaining walls greater than that specified in C1 to C3 above can be considered where the design responds to the slope (or incorporates split</p>	● NR	○ Sat	

	levels). The additional retaining wall height is to facilitate basements, garages or the like at the lower level. The excavation is to be adequately retained and drained, in accordance with approved engineering details.			
	C7 Where achievable, any proposed dwelling is to be designed incorporating retaining walls and fill within the dwelling. Should the provision of retaining walls and fill not be achievable within a proposed dwelling due to demonstrated site constraints they should be located as close to the proposed dwelling as is possible, to minimise the impact on the amenity of the adjoining properties.	● NR	○ Sat	
	C8 All retained material is to have a gradient of at least 5%.	○ NR	● Sat	
	C9 Fill material is to be substantially from the site only. Imported fill material is not encouraged.	○ NR	● Sat	
	C10 Cut and fill outside the building envelope is not to exceed 600mm.	● NR	○ Sat	
	C11 Stormwater or surface water runoff is not to be redirected or concentrated onto adjoining properties so as to cause a nuisance. Adequate drainage is to be provided to divert water away from batters.	○ NR	● Sat	
	C12 Earthworks should not be carried out within the angle of repose of adjoining property. Unless such works are supported by certified structural engineer reports and do not impact on neighbouring property.	○ NR	● Sat	

14 Boorooma Urban Release Area

15 Lloyd Urban Release Area

16 Gobbagombalin Urban Release Area

Site Topography, Landscape Character, views and setting				
<i>O1 To require new development to respond to site features including topography, ridgelines and vegetation.</i>	C8 All native trees within residential lots must be retained, or offset planting carried out at the rate indicated in the Natural Resource Management section (page 15) of this Chapter.	<input type="radio"/> NR	<input checked="" type="radio"/> Sat	
<i>O2 To avoid adverse impact upon all land with development limitations.</i>	C9 Lots adjoining land zoned E2 should be of sufficient size that a dwelling and other buildings can be located where they will not be at risk of damage from falling trees or limbs from within the E2 zone.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
Heritage Conservation				
<i>O1 To protect Aboriginal cultural heritage values by responding to the archaeological sensitivity of the site.</i>	C5 All other heritage items must comply with the relevant controls in Section 3 of WWDCP 2010.	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	
Open Space, parks and the public domain				
<i>O2 To provide open space areas with natural surveillance from surrounding dwellings.</i>	C4 Dwellings adjoining an open space (other than those next to Harris Road) must front the open space and shall have the following restrictions enforced by a s88B instrument: (i) Erect a fence along the boundary shared with the open space having: (a) a height of not greater than 1.5m; (b) not less than 50% of open/see through construction	<input checked="" type="radio"/> NR	<input type="radio"/> Sat	

	<p>C5 Lots adjoining Harris Road shall be at least, 1000sqm in size and have the following restrictions enforced by a s88B instrument:</p> <p>(i) Erect a fence along the boundary shared with Harris Road having:</p> <p>(a) a height not greater than 1.5m;</p> <p>(b) not less than 50% of open/see through construction</p> <p>(ii) No dwelling shall be located within 10m of the Harris Road boundary.</p> <p>(iii) All dwellings must have a ground floor verandah, porch, patio, pergola or deck on the side facing Harris Road.</p>	<input checked="" type="radio"/> <i>NR</i>	<input type="radio"/> <i>Sat</i>	
	<p>C6 Dwellings adjoining Harris Road must have a secondary frontage that:</p> <p>(i) Includes a verandah, porch, patio, pergola or deck no closer than 3m of the Harris Road boundary.</p> <p>(ii) Sheds and garages must not be located in the 10m dwelling setback</p>	<input checked="" type="radio"/> <i>NR</i>	<input type="radio"/> <i>Sat</i>	
Residential Development Refer to Section 9 of the WWDCP 2010.				