

Report of Development Application

Environmental Planning and Assessment Act 1979

Application	Application Number Date of Lodgement	DA23/0256 26/05/2023	Applicant	SG Dunstall 470 Kooringal Rd LAKE ALBERT NSW 2650
Details	Proposal	Shed with amenities	Description of Mod.	N/A
	Development Cost	\$39961	Other Approvals	Nil
Site Details	Subject Land	17 Benedict Ave SAN ISIDORE NSW 2650 Lot 23 DP 29976	Owner	ZM McLachlan & SG Dunstall

Recommendation: The application be approved subject to conditions of consent as detailed in the draft Notice of Determination.

Delegation to Determine Application:- Officer Delegation 7.39

Report Prepared by:

Lani Hudson

Cadet Town Planner

Date: 4/8/23

Report Approved by:

Steven Cook

Senior Town Planner

Date: 4/8/23

- Section 4.55 Modification of Consent
- ☐ Section 4.15(1) Matters for consideration general

Description	Shed

Mat	ters	for consideration				
GIS & System Check	Section 4.15(1) EP&A Act 1979	Issue	Legislative Provisions	Not Relevant	Satisfactory	Comment
~	(b) (c) (e)	DA History		O NR	Sat	

	(a)(i)	Zoning	LEP	\bigcirc		Zoning of land (cl 2.2): R5
LEP 2010 Zones	(a)(i) (b) (c) (e)	Zoning	LEP 2.2 Zoning of land to which Plan applies 2.3 Zone objectives and Land Use Table	O _{NR}	Sat	 The development is permissible in the zone (cl. 2.3(1)) The development is consistent with the following objectives of the R5 zone (cl. 2.3(2)): To provide residential housing in a rural setting while preserving, and minimising impacts on, environmentally sensitive locations and scenic quality. To ensure that large residential lots do not hinder the proper and orderly development of urban areas in the future. To ensure that development in the area does not unreasonably increase the demand for public services or public facilities. To minimise conflict between land uses
						within this zone and land uses within adjoining zones. To ensure that the clearing of native vegetation is avoided or minimised as far as is practicable.

	•	T	T			
Land Parcels & DP	(b) (c) (e)	Land Title Correct legal description and ownership Easements & Building Envelopes Open Deposited Plan (including 88b) Registered title (deferred commencement)		O NR	Sat	
LEP 2010 Listed item and Conservation	(a)(i) (a)(iii) (b) (c) (e)	Heritage Conservation Area Listed item DCP 3 Heritage Conservation	LEP 5.10 Heritage conservation	NR NR	Sat O Sat	
LEP 2010 Urban release Area	(a)(i) (b) (c) (e)	Urban Release Area	LEP 6.2 Public utility infrastructure LEP 6.3 Development control plan	NR NR	O Sat	
Natural resource Sensitivity	(a)(i) (a)(iii) (b) (c) (e)	Natural Resource Sensitivity DCP 5.4 Environmentally sensitive land	LEP 7.3 Biodiversity LEP 7.4 Vulnerable land	O NR NR	Sat O Sat	

			LEP 7.5 Riparian lands and waterways	NR NR	O Sat	
			LEP 7.6 Groundwater vulnerability	• NR	O Sat	
3)	(a)(i) (a)(iii)	Flooding			0	
Flooding (including MOFFS)	(b) (c) (e)	Overland flow		NR	Sat	
Floo		DCP 4.2 Flooding	LEP 5.21 Flood Planning	• NR	O Sat	
(ir				IVIX	Sat	
e. e.	(a)(iii) (b)	Bushfire		0		The site is not mapped as bush fire prone land
Bushfire Prone Land	(c) (e)	DCP 4.1 Bushfire		NR	Sat	and a site inspection has confirmed that the site or surrounding area is not a bush fire risk. No further assessment is required.
I- and	(a)(i) (b)	Contaminated Land	SEPP (Resilience and	0	•	There is no indication that the site has
nental Ited La	(c) (e)	PFAS Study Area Site observations	Hazards) 2021	NR	Sat	previously been occupied by any use that could have led to contamination of the site.
Environmental - Contaminated Land & PFAS						Furthermore, the land is not identified on Councils register of contaminated sites.
	(a)(i) (b)	Airport Constraints	LEP 7.11 Airspace	0		
Airport Constraints	(c) (e)		operations	NR	Sat	
rport C			LEP 7.12 Development in	0		
Aii			areas subject to aircraft noise	NR	Sat	

	(b) (c) (e)	Services/Utilities (Septic area? Health referral))	O NR	Sat	The subject site is serviced by septic. The application was referred to Council's Health section and conditions have been imposed.
Sewer and Stormawater		Sewer/stormwater infrastructure (Build over, encroachment, earthwork impacts)			
Sewer and		Stormwater issues – overland flow			
Assets -		Electricity infrastructure (including setbacks to substations) (Transport/infrastructure SEPP referral)			
	(b) (c) (e)	Existing site conditions	0		Site visit undertaken on: 15/06/23
Aerial Imagery (*Topographic – Hydrology)	(e)	Buildings on site Retaining walls Cut and fill Deposited fill Boundary fencing and walls Private open space Vegetation *Proximity to natural waterways Other observations	NR	Sat	3 trees were shown on site plan to be removed. 2 had already been removed prior to site inspection due to not requiring approval as they were under 8m tall. The 3 rd tree had be blown over in a storm. Site had been levelled.

	(-)	T =			
	(c)	Off site observations	\circ		
Aerial Imagery (*Topographic – Hydrology)	(e)	Buildings Window locations Private open space Retaining walls Cut and fill Boundary fencing and walls Vegetation *Proximity to natural waterways Other observations	NR	Sat	
	(a)(iii) (b) (c) (e)	Traffic, access and parking Manoeuvring Site Distance Issues Driveway grade Check Driveway location and grade Side entry pit Service lids/pits Poles/turrets/substations Street Trees DCP 2.1 Vehicle access and movements 9.3.6 Front setbacks	O _{NR}	Sat	

(a)(iii)	Context, setting and	0		
(a)(iii) (b) (c) (e)	streetscape	NR	Sat	
(e)	DCP 9.2.2 Streetscape 9.2.3 Corner lots and secondary facades 9.2.4 Sloping Sites 9.3.1 Site area per dwelling 9.3.2 Site cover 9.3.6 Front setbacks 9.3.7 Side and rear setbacks 9.4.1 Building elements 9.4.2 Materials and finishes 9.4.4 Garages, carports, sheds and driveways 9.4.5 Site facilities	1417	Gat	
(a)(iii) (b) (c) (e)	Public Domain Impact on street or adjoining public place Condition/Dilapidation Construction access DCP 2.7 Development adjoining open space 9.4.5 Site facilities	O NR	Sat	
(a)(iii) (b) (c) (e)	Safety, security and crime prevention DCP 2.5 Safety and security	O NR	Sat	

(a)(iii) (b) (c) (e)	Site and internal design DCP 9.2.1 Site layout 9.4.1 Building elements 9.4.4 Garages, carports, sheds and driveways		O NR	Sat	
(a)(iii) (b) (c) (e)	Solar impact DCP 9.3.4 Solar access 9.3.7 Side and rear setbacks		O NR	Sat	
(a)(iii) (b) (c) (e)	Visual Privacy Private open space Boundary fencing and screening DCP 9.3.5 Private open space 9.3.7 Side and rear setbacks 9.4.3 Privacy		O NR	Sat	
(a)(i) (b) (c) (e)	Noise and Vibration Acoustic privacy conflicts Impacting nearby land uses (Rail, Road, Infrastructure SEPP referrals)		O NR	Sat	

(a)(i) (b) (c) (e)	Air and microclimate Impacting nearby land uses (Rail, Road, Infrastructure SEPP referrals)		O NR	Sat	
(a)(i) (a)(iii) (b) (c) (e)	Earthworks and Soils Cut and fill Stability and erosion control Stormwater quality		O NR	Sat	
	DCP 9.4.6 Changing the landform – cut and fill	LEP 7.1A Earthworks	O NR	Sat	
(b) (c) (e)	Landscaping		NR NR	O Sat	
(b) (c) (e)	Waste Construction waste management Asbestos		O NR	Sat	
(a)(iii) (b) (c) (e)	DCP 9.3.7 Side and rear setbacks 9.4.1 Building elements 9.4.2 Materials and finishes		O NR	Sat	

(a)(i) (b) (c) (e)	BASIX (Use assessment checklist)	BASIX SEPP 2004	NR NR	O Sat	
(b) (c) (e)	Other hazards Natural Technological		O NR	Sat	
(a)(iii) (b) (c) (e)	Flora and Fauna (on and off-site) Check for native veg		O NR	Sat	
	requirements (R5 and RU4 Land) DCP 5.2 Preservation of trees 5.3 Native Vegetation Cover	Section 5AA and Part 7 of the Biodiversity Conservation Act 2016 Test for determining whether proposed development or activity is likely to significantly affect threatened species or ecological communities, or their habitats)	O NR	Sat	Section 5AA and Part 7 of the Biodiversity Conservation Act 2016 (Test for determining whether proposed development or activity likely to significantly affect threatened species or ecological communities, or their habitats) There are a number of tests to determine whether the proposal triggers the NSW Biodiversity Offset Scheme under the NSW Biodiversity Conservation Act 2016 and results in the need for further assessments or offsets. 1. Is the subject site identified as an area of outstanding biodiversity value on the biodiversity values map? No

		T			
					2. Does the amount of native vegetation being removed exceed the biodiversity offsets scheme threshold. No 3. Test of Significance - the test to determine whether the proposed development or activity is likely to significantly affect threatened species or ecological communities, or their habitats. Three trees are proposed to be removed. Given that there is no recorded endangered flora or fauna on the site of the proposed development, it is not anticipated that the development will significantly affect threatened species or ecological communities or their habitats. Based on the above assessment it is satisfied that the development will not trigger the
(b) (c) (e)	Social and economic impacts		O NR	Sat	
(b) (c) (e)	Facilitation of Ecologically Sustainable Development		O NR	Sat	
(a)(i) (b) (c)	Other LEP Clauses	LEP 2.7 Demolition requires development	NR	O Sat	

1					
(e)		consent			
		LEP 4.3 Height of buildings	O NR	Sat	
		LEP 7.9 Primacy of Zone E2 Commercial Centre	O NR	Sat	
		LEP 4.2A Erection of dwelling houses and dual occupancies on land in certain residential, rural and environmental protection zones	NR	O Sat	
		LEP 5.16 Subdivision of, or dwellings on, land in certain rural, residential or environment protection zones	NR	O Sat	
		Other Clauses	NR	O Sat	
(a)(i) (b) (c) (e)	Other EPIs	SEPP (Transport and Infrastructure) 2021	NR	O Sat	
,		SEPP (Precincts - Regional) 2021	NR	O Sat	

		Other SEPPs		0	
			NR	Sat	
(a)(ii) (b) (c) (e)	Draft EPIs		NR	Sat	There are a number of state environmental planning policies currently subject to review, including some which have involved consultation and notification. None of these are applicable to this application.
(a)(iiia) (e)	Planning agreements		NR NR	O Sat	No related planning agreement has been entered into under section 7.4.
(d) (e)	Submissions		0		Nil
(-)			NR	Sat	
(e)	Section 68 Application made as part of DA	Local Government Act 1993	NR NR	Sat	
(e)	Section 7.11 Contributions (Local Infrastructure Contributions Plan 2019 - 2034)	EP&A Act 1979	• NR	O Sat	
(e)	Section 7.12 Contributions (Local Infrastructure Contributions Plan 2019 - 2034)	EP&A Act 1979	NR NR	O Sat	
(e)	Section 64 sewer (Development Servicing Plan – Sewerage Services – July 2013)	s64 LG Act 1993 & s306 Water Management Act 2000	● NR	O Sat	
(e)	Section 64 stormwater (Development Servicing Plan – Stormwater – November 2007)	s64 LG Act 1993 & s306 Water Management Act 2000	NR NR	Sat	
(a)(iv) (e)	The Regulation – Prescribed Matters		O NR	Sat	


	EP&A Regulation 2021	cl.61(1) - Demolition of a building, the provisions of AS 2601	NR NR	Sat	
		(ensure condition included requiring compliance with standard)			
		cl.61(7) - Consideration of Special Activation Precinct Master Plan	NR NR	Sat	
		cl.64 - Require existing building to be brought into total or partial conformity with BCA (check with Building Surveyor for development proposing the rebuilding, alteration, enlargement or extension of an existing building)	NR	Sat	
(a)(iv) (e)	The Regulation – Prescribed Conditions (ensure conditions of consent included)	EP&A Regulation 2021	O NR	Sat	
(e)	Other regulation matters	EP&A Regulation 2021	O NR	Sat	
(e)	Council Policies		O NR	Sat	Policy 046 - Processing Development Applications lodged by Councillors, staff and individuals of which a conflict of interest may arise, or on Council owned land. No declaration has been made that would
					require action under this policy.

(e)		Other public interest matters			O NR	Sat	It is considered that this application will not have a detrimental effect on the public interest.
		ment Control Plan 20 (1)(a)(iii) of the Environmental Pla		ct 1979)		
DCP Section (Objectives and Controls) (Section not relevant)			Not Relevant	Satisfactory	Con	nment	
1.10	0 N	otification of a Developmen	t Application				
Compliance the DCP	e wit	n the advertising and notification procedu	res detailed in this section of	O NR	Sat	the the	application has been notified in accordance with notification provisions outlined in Section 1.10 of WWDCP. es: 25/07/23 to 1/08/23

☐ 1.11 Complying with the Wagga Wagga Development Control Plan 2010

Compliance with the procedures, guidelines and delegations detailed in this section of the DCP			R Sat
2.1 Vehicle acces	s and movements		
O1 Ensure the safety and efficiency of urban and rural roads.	C3 Vehicles are to enter and leave in a forward direction unless it can be demonstrated that site conditions prevent it.	NR NR	R Sat
O2 Limit new access points to arterial roads or ensure alternative access is utilised where practical.	C5 Access driveways are to be located in accordance with the relevant Australian Standard at the time of lodgement of an application.	O NR	
	C6 Ensure adequate sight lines for proposed driveways.	O NR	
2.2 Off-street par	king		
2.3 Landscaping			
2.5 Safety and se	curity		
O1 Incorporate crime prevention strategies in new developments.	C1 Use good site planning to clearly define public, semi-public and private areas.	O NR	
O2 Encourage active, pedestrian oriented environments where developments are designed	C2 Entries are to be clearly visible and identifiable from the street, and are to give the resident/occupier a sense of personal address and shelter. For non-residential uses, administration offices or showroom are to be located at the front of the building.	NR NR	R Sat
pedestrian oriented environments where	sense of personal address and shelter. For non- residential uses, administration offices or showroom	NR	R Sat

to take a set of the discount Pe	OO Minimum all and a second for a face of			
to integrate into the public	C3 Minimise blank walls along street frontages.		\circ	
domain.		NR	Sat	
O3 Maximise opportunities	C4 Avoid areas of potential concealment and 'blind'	0		
for natural surveillance of	corners.	_		
public spaces and building or		NR	Sat	
site entrances.	C5 Provide lighting to external entry areas, driveways		0	
	and car parks in accordance with the relevant	NR	_	
	Australian Standards. The lighting is to be designed	NR	Sat	
	and sited to minimise spill and potential nuisance to			
	adjoining properties.			
	CO District and I for all a set to set the set to set the set of			
	C6 Planting and fencing is not to reduce the safety of		\circ	
	users or compromise areas of natural surveillance.	NR	Sat	
	Compromise areas of flatural surveillance.			
	C7 Where a site provides a pedestrian through route			
	the access path is to be clearly defined and sign		\circ	
	posted, appropriately lit, and have satisfactory visibility.	NR	Sat	
	C8 Locate public toilets and rest areas to promote their		0	
	use, and maximise public surveillance without creating	NR	_	
	visual intrusion.	NR	Sat	
2.6 Erosion and s	ediment control			
2.0 Liosion and s				
Od Businet the section of	Consistent with the abic attrice of the conference of			7
O1 Protect the environment	Consistent with the objectives of this section of the DCP.	\circ		
against soil erosion and loss of soil from construction	DCP.	NR	Sat	
sites.				
Siles.				
O2 Prevent the degradation				
of drainage systems,				
waterways and aquatic				
environments from				
deposition of soil and foreign				



- 2.7 Development adjoining open space
- **3** Heritage Conservation
- 4.1 Bushfire
- 4.2 Flooding
- **5.1** Development on ridges and prominent hills
- **5.2** Preservation of trees
- **5.3 Native Vegetation Cover**

5.4 Environmentally sensitive land

O1 To support the controls and objective for both the E2 and E4 Zone and environmentally sensitive	C1 Development is to be consistent with any Conservation Management Plan prepared for land in the E2 zone.	NR NR	Sat	
land provisions in Clauses 7.3 to and inclusive of Clause 7.6 of the LEP.	Environmentally sensitive land – biodiversity (Outside "biocertified area")	O NR	Sat	
O2 Protect, maintain or improve the diversity of the native flora and fauna.	Natural Resources Sensitivity - land	NR	O Sat	
O3 Protect the ecological processes necessary for their continued existence.	Natural Resources Sensitivity - waterways	NR	O Sat	
O4 Encourage the recovery of threatened species, communities or populations and their habitats. O5 Protect, maintain or improve the diversity and stability of landscapes.	Natural Resources Sensitivity - groundwater	NR NR	Sat	

- **8** 6 Villages
- **8** Rural Development
- 9.1.5 R3 Zone Staunton Estate
- 9.2.1 Site layout

O1 Encourage site responsive development that is compatible with existing or	C1 Use site characteristics such as trees, changes in level or rock outcrops as features within the site layout.	O NR	Sat	
desired built form. O2 Facilitate sustainable	C2 Integrate access, landscaping and services in the site layout, avoiding underutilised spaces.	O NR	Sat	
development through passive solar design.	C3 Orient living spaces to maximise solar access.	NR	O Sat	
O3 Integrate landscaping and built form.	C4 Facilitate natural cross ventilation within dwellings through the location of windows and doors.	NR	O Sat	
O4 Encourage designs which respond to the physical context and characteristics of the particular site.				
O5 Encourage design that maximises the opportunity for passive surveillance of communal spaces from private living areas.				
the particular site. O5 Encourage design that maximises the opportunity for passive surveillance of communal spaces from				

9.2.2 Streetscape

O1 Encourage compatibility with existing built form. O2 Encourage attractive	C1 Provide a street address and front elevation that is consistent with the predominant scale, rhythm and form of the street.	O NR	Sat	
of the streets of the street streets of the street street street with good definition between the public and private domain.	C2 Front fence height forward of the building line is not to exceed 1200mm. However, a side boundary fence forward of the building line may be permitted to taper from the maximum permitted height (1.8 metres) at the building line down to the 1200mm maximum permitted height at the front boundary.	NR NR	O Sat	

O4 In locations where front fences are an important feature of the established	C3 Fence height at and behind the building line is not to exceed 1800mm in height.	● NR	O Sat	
streetscape, ensure that new fences complement the character of the streetscape.	C4 The majority of windows in dwelling wall which face the street should be windows of habitable rooms.	• NR	Sat	

- 9.2.3 Corner lots and secondary facades
- 9.2.4 Sloping sites
- 9.3.1 Site area per dwelling
- 9.3.2 Site cover

O1 Ensure that development sites are of sufficient size for dual occupancy, multi dwelling housing and residential flat developments.	C1 Maximum site cover is to be in accordance with Table 9.3.2a.	NR NR	Sat	
O2 Ensure adequate areas for access, parking, landscaping, useable garden and outdoor areas and natural runoff.				
O3 Retain compatibility with site context and avoid over development resulting from excessive site cover.				

9.3.4 Solar access	S			
9.3.5 Private oper	n space			
O1 Provide quality, useable private open space. O2 Ensure adequate areas for recreation and outdoor	C1 At least 24m2 of private open space is required per dwelling. The private open space is to be directly accessible to the main living area and have a minimum dimension of 4m.	O NR	Sat	
living. O3 Encourage good connection between dwellings and private open space.	C2 Enclosure of approved private open space will be permitted, however at least one side of the approved private open space is to remain open. Roofing of approved private open space is permitted provided that BASIX requirements are not compromised.	NR NR	O Sat	
	C3 Use screening where necessary to ensure the privacy of private open space areas.	NR	O Sat	
9.3.6 Front setbace 9.3.7 Side and rea	ar setbacks			
O1 Ensure adequate separation between buildings for landscaping, privacy, natural light and ventilation.	C1 The rear setback for detached secondary dwellings is determined by site conditions and the setbacks of similar structures on adjoining and nearby sites.	NR NR	O Sat	
O2 Ensure new development continues the rhythm or pattern of development in the locality.	C2 Any point of a building must have a setback from the side boundary nearest to that point of at least: a) If the lot is in Zone R5 a setback of 2m, or b) If the lot is in Zone RU1, RU2 or RU4 a setback of 10m.	O NR	Sat	

O3 Provide access for maintenance.		
O4 Building setbacks from the side and rear boundaries shall have careful regard to the impact of proposed structures on adjoining landowners.		

9.4.1 Building elements

9.4.2 Materials and finishes

O1 Encourage the use of external materials and finishes that are suited to their location and support	C1 Select materials for their environmental performance, durability, detail and appearance to achieve quality appearance.	O NR	Sat	
consistent quality streetscapes.	C2 Avoid large unbroken expanses of any single material.	O NR	Sat	
O2 Encourage use of materials that have good thermal performance.	C3 Minimise use of highly reflective or glossy materials on building exteriors.	O NR	Sat	
O3 Promote the use of materials that are climate responsive and contribute to innovative building design.	C4 Use contrasting materials in combination with design elements for features such as corner elements.	O NR	Sat	
O4 Discourage corporate colours in building facades.				

□ 9.4.3 Privacy

O1 Ensure privacy within new developments, and avoid potential impacts to	C1 Offset windows, balconies and private open space areas between adjoining dwellings.	NR	O Sat	The outbuilding raises no privacy concerns given its use.
existing properties. O2 Ensure adequate acoustic privacy within dwellings.	C3 Screening is required where there is direct line of sight between neighbouring balconies or private open space areas, or between windows and door openings of habitable rooms.	NR NR	Sat	

9.4.4 Garages, carports, sheds and driveways

O1 Minimise the visual dominance of garages and driveways in the streetscape.	C1 Where garage doors form part of the facade of a dwelling fronting a public road - the garage door is to be:	NR	Sat	
O2 Where possible, locate garages so as to assist in protecting dwellings from early morning and late afternoon summer sun.	less than 50% of the width of the house* no wider than 6m # maximum 2.4m high # - double garages are only permitted on lots 12.5m wide or greater* - single fronted tandem garages with one space behind the other are permitted * - Variations to these controls may be considered for multi storey dwellings # - Variations to these controls may be considered where the setback of the dwelling exceeds 10 metres.			
	C2 Garages, carports and sheds that open up to a laneway must be setback a minimum of 1m from the property boundary.	NR NR	O Sat	

C3 The floor area of an outbuilding on a residential lo must not be more than the following: (a) 8% of the site area if the lot has an area of less than 600m2, (b) 8% of the area or a maximum area of 175m2, whichever is the lesser, if the lot has an area of at lea 600m2 but less than 4000m2, (c) Lots greater than 4000m2 will be considered on their merits.	NR tt	Sat	
C4 The total cumulative floor area of all outbuildings of any one property shall not exceed 8% of the site area or a maximum area of 300m2, whichever is the lesser	ND	Sat	
C5 Sheds may only be erected on residential land where a dwelling house is constructed or under construction and must be used for purposes ancillary to the residential use of the land.	O NR	Sat	
C6 The height of an outbuilding or the alterations and additions to an existing outbuilding on a lot must not be more than 4.8m above ground level (existing). The building shall be single storey construction with a maximum roof pitch of 27 degrees or steeper to match the roof pitch of the house.	NR	Sat	The height of the proposed shed exceeds the maximum allowance of 4.8m for an outbuilding. A variation is being sought for the total height of the outbuilding to be 5.2m. The applicant has provided the following justification summarised below: • The extra height will not impede on any surrounding neighbour's privacy or views
			The extra height is required to install a car hoist Whilst council does not fully support all the reasons provided the variation can be supported as the

			shed does not unreasonably impact on the amenity of the neighbouring properties, front and side setbacks comply with the controls and no submissions were received from adjoining neighbour's during notification.
C7 An outbuilding shall not be located in front of the main building line. Variations may be considered for a balcony, deck, patio, pergola, terrace or verandah.	O NR	Sat	

- 9.4.5 Site facilities
- 9.4.6 Changing the landform cut and fill
- 14 Boorooma Urban Release Area
- **15 Lloyd Urban Release Area**
- 16 Gobbagombalin Urban Release Area